



The Brush Man™

EXCELLENT SERVICE & QUALITY PRODUCTS

**WHOLESALE FOR ROOFING,
CONTRACTOR, INDUSTRIAL &
FLOORING SUPPLY
DISTRIBUTORS SINCE 1976!**

PRODUCT CATALOG



**UNMATCHED CUSTOMER
SERVICE IN THE INDUSTRY!**

PRODUCT INDEX

Applicator Pads.....	7	Handles, Extension	9	Seam Rollers	11
Applicators - Driveway.....	10	Handles, Roofing	26	Seam Test Tools	11
Asphalt Primer.....	15	Knives / Blades	12	Shears	12
Axes/Picks/Mattocks	18	Leak Stop - Emergency	15	Shingle Hatchet	14
Blades, Scraper	13	Lumber Crayons.....	21	Shingle Remover.....	18
Blades, Diamond	12	Magnetic Sweeps .. NEW ITEMS	19	Shovels	18
Blades - Knife	12	Marking Spray Paint	15	Snips, Aviation	12
Boots, Slush	23	Marking Sticks	21	Spades	18
Brushes / Brooms / Sweeps:		Measuring Tapes & Wheels.....	21	Spiked Shoes..... NEW STYLE	10
Acid Scrub	6, 8	Mixers, Mud & Paint.....	16	Sponge, EPDM.....	16
Adhesive	6	Mop Handles - Dust & Wet.....	26	Spreaders, Rooftop Coating.....	20
Boot & Shoe.....	6	Mops, Dust & Wet	26	Spud Bar	19
Bowl.....	7	Mops, Roofing	26	Squeegees-Floor.....	10
Chip.....	5	Pads & Pad Holders	16	Squeegees-Window.....	10
Concrete Finishing	9	Pails/Buckets	16	Staple Hammer Tacker.....	14
Counter.....	6	Paint:		Street Brooms.....	8
Draftsman Brush.....	7	Asphalt Primer	15	Stretch Wrap	15
Floor Sweeps	8	Inverted Marking	15	Sweeps, Magnetic .. NEW ITEMS	19
General Purpose Hand Scrubs	6, 7	Roof Paint	15	Tape:	
Masonry.....	6	Paint Brushes.....	5, 6	Caution	19
Parts Cleaning	7	Paint Trays	5	Danger	19
Paint Brushes.....	5, 6	Pallet Covers	23	Dispenser	15
Roofing	7, 8	Pennant Flags	19	Duct	15
Street Brooms.....	8	Picks/Mattocks/Axes	18	Masking - Blue	15
Upright Brooms	7	Pitch Fork.....	18	Measuring.....	21
Utility (Pot)	6	Pitch Gel/After Cream	25	Packaging.....	15
Scrubs - Wash	9	Pitch Hoods	25	Tank Rollers/Spreaders.....	20
Window Brushes.....	8	Poly Sheeting.....	23	Tarps	23
Wire Hand.....	7	Rags	17	Torches, Roofing	14
Buckets/Pails	16	Rain Suit	23	Traffic Cones	19
Bungee Cords	17	Roller Covers.....	4, 5	Trash Bags.....	19
Car/Truck Wash Brushes.....	9	Roller Frames.....	3, 5	Trowels	13
Caulking Guns.....	14	Roofing Mops & Handles.....	26	Twine, Mason	22
Caution/Danger Tape	19	Rooftop Equipment Products	20	Upright Brooms	7
Chalk - Marking	21	Rope	22	Utility (Pot) Brushes.....	6
Chalk Reels/Chalk	21	Safety Items:		V-Manifolds	20
Chip Brushes.....	5	Boots - Slush	23	Vests - Safety	25
Clamp Kits.....	14	Caution / Danger Tape.....	24	Warning Line Diverters	19
Clamps, Individual Band	14	Cones - Warning Diverter	19	Window Brushes	8
Cleaner / Degreaser.....	17	Coveralls	24	Window Squeegees.....	10
Coating Applicators	10	Fall Protection Kit	19	Wire Hand Brushes.....	7
Concrete Finishing Brushes.....	9	First Aid Kits	25	Wrecking Bars.....	18
Cones, Traffic	19	Fuel Cans	25	Zip Ties	17
Cones, Warning Diverter	19	Gloves	25		
Core Cutters.....	11	Glasses & Goggles.....	25		
Coveralls	24	Hard Hats	24		
Covers - Roller	4, 5	Knee Pads	NEW STYLE 23		
Crayons, Lumber.....	21	Pennant Flags	19		
Degreaser / Cleaners	17	Pitch Hoods	25		
Drop Cloths / Tarps	23	Pitch Gel/After Cream.....	25		
Dust Pans.....	7	Rain Suit.....	23		
EPDM Brush.....	6	Respirators.....	24		
EPDM Scrubbing Sponge	16	Rope.....	22		
Extension Cords.....	22	Spray Sock.....	25		
Floor Scrapers.....	13	Tapes - Caution/Danger	19		
Floor Squeegees	10	Traffic Cones	19		
Fork, Roofers Pitch.....	18	Vests	25		
Garbage Bags.....	19	Wasp Spray	25		
Gloves.....	24	Saw - Drywall.....	12		
Hammer / Hatchet.....	14	Scoops	18		
Hand Towels / Cleaner.....	17	Scraper, 5-In-1 Paint	13		
Handle Accessories.....	9	Scrapers - Floor.....	13		
Handles, Threaded/Tapered.....	9	Seam Probe/Marker	11		



Page 19



Shoe-In Spiked Shoes

No more frustration with straps, buckles or adjustments.

Page 10



Stephens Strapless Ultra Flex Zip Wrap Knee Pads

Page 23



PROFESSIONAL ROLLER FRAMES

18" steel-reinforced frame, 5-wire cage - won't spread out and lose the cover. Any size or type of handle can be used on the job site, no threads or drilled holes in handles needed.

RF18HD 3/ctn

REPLACEMENT CAGE FOR RF18HD.
RF18HD-CAGE 1/ctn

18" lightweight AND durable roller frame, no cage. Use any 15/16" or 1-1/8" diameter handle. Adjustable handle opening. 2 PLASTIC END CAPS INCLUDED.

RF18LW 12/ctn

18" lightweight poly roller frame. Molded black poly frame with threaded handle hole, adjustable ends. 2 PLASTIC END CAPS INCLUDED.

RF18LW-SP ... 12/ctn

18" professional roller frame. Metal frame adjusts from 12" - 18". Ergonomic handle also has threaded handle hole for use with extension handles. 2 PLASTIC END CAPS INCLUDED.

RF18PRO..... 6/ctn

We recommend our
HD60T (1-1/8" x 60")
handle.

RF18HD

EXTRA END CAPS:
RF18LW-END CAP
(48/ctn)



EXTRA END CAPS:
RF18LW-SP-CAP
(24/ctn)



EXTRA END CAPS:
RF18PRO-EC
(24/ctn)



ALL FRAMES 3-9" HAVE
REINFORCED THREADED
HANDLE HOLES.

9" heavy duty frame, 5/16" stem for maximum strength, 5-wire cage.

RF9HD 12/ctn

9" heavy duty cage frame, x-tra long 5/16" stem, 5-wire cage.

RF9HD-LN 12/ctn

9" heavy duty cage frame, wood handle, 5/16" stem, 5-wire cage.

RF9HD-W * ... 12/ctn

9" regular duty cage frame, 1/4" stem.

RF9 12/ctn

7" heavy duty frame, 5/16" stem, 5-wire cage. (Not Shown)

RF7HD 12/ctn

4" regular duty cage frame, 1/4" stem.

RF4 24/ctn

3" regular duty cage frame, 1/4" stem.

RF3 24/ctn

PREMIUM HEAVY DUTY ROLLER FRAMES

Extra heavy duty 9" & 4" roller frame. 5/16" thick extra long shank, 5-wire cage. Heavy duty nylon end caps. Reinforced threaded handle hole in the grip.

RF-9-PREMIUM 9" 12/ctn

RF-4-PREMIUM 4" 24/ctn

9" Short-handle version:
RF-9-PREM-SH 12/ctn

RF-9-PREM-SH

NON-SLIP ROLLER FRAMES

9" NON-SLIP heavy duty roller frame. Has special end cap that prevents 'walking' by the cover.

RF-9-HD-NO-SLIP 12/ctn

- 5/16" shank, 5-wire cage
- Rubberized handle for better grip.
- Reinforced threaded handle hole in the grip.

JUMBO PROFESSIONAL FRAMES

9" JUMBO cage frame, 1-1/4" diameter 6-wire cage.

RF9HD-J 12/ctn

4" JUMBO cage frame, 5/16" stem, 6-wire cage.

RF4-J 12/ctn

BIG BEN® FRAME

RF18-BIG BEN ... 10/ctn

- For 18" covers, 1-1/2" standard or 2-1/4" jumbo diameter.
- Lightweight yet strong polypropylene construction.
- Quickly install or remove the roller cover - no hardware to adjust, no tools required.
- Reinforced threads.

THE WOOSTER
BRUSH COMPANY

EXTRA END CAPS:
RF18 BENENDCAP
48/ctn

SHERLOCK® WIDE BOY™ FRAME

RF18-WIDE BOY 3/ctn

- Adjusts to hold roller covers 12" - 18" long with 1-1/2" standard or 2 1/4" jumbo diameter.
- Extra-strength steel wing nut design, perfect for floors or other heavy-duty applications.
- Rigid tubular steel frame arms, durable fiberglass-reinforced nylon body; weighs less than 1 lb.
- Reinforced threads.

EXTRA END CAPS:
RF18 BEN END CAP
(48/ctn)

SHERLOCK® FRAMES

RF9-SHERLOCK 9" ... 6/ctn

RF4-SHERLOCK * ... 4" ... 6/ctn

* SPECIAL ORDER

- Quick-release retaining spring prevents slippage, yet allows easy, one-rap removal.
- Smooth-rolling bearings eliminate shank wear & gray streaks.
- Durable, green™ fiberglass-reinforced nylon cage & end caps.
- Chrome-plated 5/16" shank, 90° angle.
- Full-size polypropylene grip with reinforced threads.

ROLLER GAUGES

- Unique polypropylene endcaps control the mil thickness being applied, replacing the squeegee process.
- Use with floor coatings, epoxies, urethanes, anti-skid floor toppings, vapor barriers, & metallic finishes.
- Recommended for use with 3/16" nap.
- Color-coded for quick selection.



* SPECIAL ORDER

RF-GAUGE-YELLOW * ... Thin Film (Approx 4 mil) 6 packs of 6 ea
RF-GAUGE-RED * Medium Film (Approx 12 mil) 6 packs of 6 ea
RF-GAUGE-BLUE * Thick Film (Approx 22 mil) 6 packs of 6 ea
RF-GAUGE-BLACK * 1/4" Thick Gauge 100 ea/ctn
RF-GAUGE-GREY * 1/2" Thick Gauge 100 ea/ctn

SPIKED ROLLER COVERS W/FRAME

- Made from rigid plastic sharp 13/16" spikes.
- Removes trapped gas bubbles from floor coating applications.
- Replacement spikes available.

RC20SPIKE 13/16 * 20" ... 1/ctn

RC9-SPIKE 13/16 * 9" 1/ctn

* SPECIAL ORDER



PROFESSIONAL ROLLER COVERS

These covers are the best covers commercial roofers can use for applying adhesives! Our nap is fused onto a 1-1/2" diameter 2-ply polypropylene core. Especially made for the commercial roofer applying adhesive coatings. We've examined many imports & none match up to the quality, performance & durability of ours.



- USA MADE (Not Imported!)
- Extremely Solvent-Resistant, Will Not Dissolve!
- Top quality polyester nap that will not separate!
- They WORK - Stiff cores that last!

Length	Nap	
POLYPROPYLENE CORE COVERS		
RC18-1/4-HD.....18"	1/4"	24/ctn
RC18-3/8-HD.....18"	3/8"	24/ctn
RC18-1/2-HD.....18"	1/2"	24/ctn
RC18-3/4-HD.....18"	3/4"	24/ctn
RC18-1-1/4-HD.....18"	1-1/4"	24/ctn
RC9-1/4-HD.....9"	1/4"	36/ctn
RC9-3/8-HD.....9"	3/8"	36/ctn
RC9-1/2-HD.....9"	1/2"	36/ctn
RC9-3/4-HD.....9"	3/4"	36/ctn
RC9-1-1/4-HD.....9"	1-1/4"	36/ctn

Length	Nap	
RC7-3/8-HD.....7"	3/8"	36/ctn
RC4-3/8-HD.....4"	3/8"	48/ctn
RC4-1/2-HD.....4"	1/2"	48/ctn
RC4-3/4-HD.....4"	3/4"	48/ctn
RC3-3/8-HD.....3"	3/8"	48/ctn
RC3-1/4-HD.....3"	1/4"	48/ctn

PHENOLIC CORE ROLLER COVERS

Core made from 4 layers of resin-infused paper, baked & hardened. Nap adhered with a 2-part epoxy. *Slight premium over the 2-ply poly cores.*



- USA MADE (Not Imported!)
- Extremely Solvent-Resistant - Will Not Dissolve!
- Top quality polyester nap that will not separate!
- They WORK - Stiff cores that last!

Length	Nap	
PHENOLIC CORE COVERS		
RC18-3/8-PHEN *.....18"	3/8"	12/ctn
RC18-3/4-PHEN *.....18"	3/4"	12/ctn
RC9-3/8-PHEN.....9"	3/8"	36/ctn
RC9-1/2-PHEN.....9"	1/2"	36/ctn
RC9-3/4-PHEN.....9"	3/4"	36/ctn
RC4-3/8-PHEN.....4"	3/8"	48/ctn
RC4-1/2-PHEN.....4"	1/2"	48/ctn
RC3-3/8-PHEN.....3"	3/8"	48/ctn



• SPECIAL ORDER

CARPET NAP ROLLER COVERS

Preferred by many roofers for applying adhesives & coatings. Phenolic core with 2-part epoxy holding the nap secure.

RC18-C.....18"	12/ctn
RC9-C.....9"	12/ctn
RC4-C.....4"	36/ctn




LOOPED ROLLER COVERS

Perfect for applying liquids with power equipment. 1-1/2" diameter synthetic core.



RC18-LOOP.....18"	12/ctn
RC9-LOOP.....9"	12/ctn



RC18-EPOXYCOAT *.....18"	6/ctn
RC9-LOOP-TAN *.....9"	12/ctn

• SPECIAL ORDER



- Durable, tan, plastic looped material applies paint & creates decorative effects in one step.
- Use with all texture paints; also for applying coarse aggregate epoxy coatings.
- Polypropylene core resists water, solvents, & cracking.
- Loops help keep aggregate in suspension during application.

SHED-RESISTANT ROLLER COVERS

For flooring contractors or other various coating jobs requiring **minimum linting!** Great for use with clear coatings!

High quality white fabric nap cover. 2-ply poly core.



Length	Nap	
RC18-1/4LF.....18"	1/4"	24/ctn
RC18-3/8LF *.....18"	3/8"	24/ctn
RC18-1/2LF.....18"	1/2"	24/ctn
RC18-3/4LF.....18"	3/4"	12/ctn
RC9-1/4LF.....9"	1/4"	36/ctn
RC9-3/8LF.....9"	3/8"	36/ctn
RC9-1/2LF.....9"	1/2"	36/ctn
RC9-3/4LF *.....9"	3/4"	12/ctn



• SPECIAL ORDER

Length	Nap	
RC4-3/8LF.....4"	3/8"	48/ctn
RC4-1/2LF.....4"	1/2"	48/ctn
RC3-3/8LF.....3"	3/8"	48/ctn



Length	Nap	
RC18-3/16-WSTR *.....18"	3/16"	6/ctn
RC18-3/8-WSTR.....18"	3/8"	6/ctn
RC18-1/2-WSTR.....18"	1/2"	6/ctn

• SPECIAL ORDER

Length	Nap	
RC9-3/16-WSTR *.....9"	3/16"	12/ctn
RC9-3/8-WSTR.....9"	3/8"	12/ctn
RC9-1/2-WSTR.....9"	1/2"	12/ctn
RC4-3/8-WSTR.....4"	3/8"	12/ctn



Length	Nap	
RC18-3/16PRODOZ.....18"	3/16"	6/ctn
RC18-3/8PRODOZ.....18"	3/8"	6/ctn
RC18-1/2PRODOZ.....18"	1/2"	6/ctn
RC9-3/16PRODOZ *.....9"	3/16"	12/ctn
RC9-3/8PRODOZ.....9"	3/8"	12/ctn
RC9-1/2PRODOZ.....9"	1/2"	12/ctn
RC4-3/8PRODOZ.....4"	3/8"	12/ctn

• SPECIAL ORDER

- Shed-resistant & high density for today's paints: flat, egg shell, satin, semigloss, gloss, enamels, primers, urethanes, epoxies.
- HydroFlow™ technology provides controlled release to improve paint flow.
- White fabric with golden double pinstripe for smooth finish, great capacity.
- Green, double-thick polypropylene core resists water, solvents & cracking.

MOHAIR ROLLER COVERS

Shed-resistant mohair fabric. 1-1/2" diameter solvent-resistant poly core.

Length Nap



RC18-M.....18"	1/4"	12/ctn
RC9-M.....9"	1/4"	12/ctn



Length Nap



RC18-M-WSTR *.....18"	1/4"	6/ctn
RC9-M-WSTR *.....9"	1/4"	12/ctn
RC4-M-WSTR *.....4"	1/4"	12/ctn

• SPECIAL ORDER

- Shed-resistant mohair fabric for enamels, varnishes, urethanes, epoxies, floor toppings.
- Natural painting qualities of mohair blended with added resiliency of polyester, minimizes directional fabric qualities.
- Polypropylene core resists water, solvents and cracking.
- 18" length has green™ double-thick polypropylene core.

MICROFIBER ROLLER COVERS

Solvent-resistant polypropylene core, **non-shedding** fluffy luxurious nap. Holds more paint & delivers it with less friction. (12/ctn)



- Non-Shedding
- Easy to clean.
- Non-Matting
- No splatter.



• SPECIAL ORDER

Length	Nap	
RC18-MICFBR-1/4 *.....18"	1/4"	
RC18-MICFBR-3/8 *.....18"	3/8"	
RC18-MICFBR-9/16 *.....18"	9/16"	
RC9-MICFBR-1/4 *.....9"	1/4"	
RC9-MICFBR-3/8 *.....9"	3/8"	
RC9-MICFBR-9/16 *.....9"	9/16"	



EPOXY GLIDE™ ROLLER COVERS



RC18-EGLIDE18"6/ctn
RC9-EGLIDE9"12/ctn
RC4-EGLIDE4"12/ctn

WOOSTER
BRUSH COMPANY

• **SPECIAL ORDER**

- 1/4" Proprietary, dark gray, shed-resistant fabric nap for all epoxies and urethanes.
- Great pickup, release and flow for fast results.
- Green™ double-thick polypropylene core resists water, solvents, and cracking (4" length has a clear, single-ply polypropylene core).

PERFORATED CORE ROLLER COVERS

Perfect for applying liquids with power equipment. The 18" core is uniformly perforated, allowing the liquid to dispense through the 3/8" nap.

RC18-3/8PERF12/ctn

THE GREAT DANE
TOOL COMPANY



MINI COVERS & FRAMES

MINI ROLLER COVERS

1/4" diameter hard nylon core. Solvent-Resistant. Nap is fused to the core.
(24 packs/ctn, 48 covers/ctn)

Length	Nap	
RCM6-1/2-1/4LF	6-1/2" 1/4"	4/ctn
RCM6-1/2-3/8LF	6-1/2" 3/8"	4/ctn
RCM6-1/2-1/2LF	6-1/2" 1/2"	4/ctn
RCM4-3/8LF	4" 3/8"	3/ctn




Shed-Resistant

MINI ROLLER FRAMES (12/ctn)

Length	Cover	
RFM6-1/2-24	24" ... 6-1/2"	
RFM6-1/2-12	12" ... 6-1/2"	
RFM4-16	16" 4"	

• **SPECIAL ORDER**



RFM6-1/2-24

RFM6-1/2-12

RFM4-16

PAINT TRAYS & LINERS

4" plastic tray.
PAINT TRAY 4P
200/ctn



9" economical metal throw-away tray. Approximately 15.5" x 11". Holds 1 quart.

PAINT TRAY 9M
24/ctn



9" disposable plastic liner fits our 9" metal tray.

PAINT TRAY 9LNR
144/ctn



9" economical poly re-usable tray. Approximately 15" x 10.5". Holds 1 qt.

PAINT TRAY 9P
24/ctn



6-qt deep well plastic tray. 21" x 13" x 3-1/2", solvent-resistant.

PAINT TRAY 22
12/ctn



WIDE BOY™ 5-GALLON BUCKET

- Built-in 19" wide roll-off area for high-production jobs.
- No-tip design & heavy-duty 5/16" galvanized bail with comfort grip for moving when filled.
- Durable, seamless, green™ polypropylene resists solvents & paint buildup.
- 14" L x 24" W x 10" D

PAINT TRAY WB5 Bucket..... 3/ctn
PAINT TRAYWBLID Bucket Lid..... 6/ctn



WOOSTER
BRUSH COMPANY

• **SPECIAL ORDER**

JUMBO ROLLER COVERS & FRAMES

2-1/4" diameter JUMBO synthetic core designed for maximum surface coverage. (12/ctn)

Length	Nap	
RC18-1/2J	18" 1/2"	
RC9-1/2J	9" 1/2"	
RC9-3/4J	9" 3/4"	
RC4-1/2J	4" 1/2"	

• **SPECIAL ORDER**

9" JUMBO cage frame,
1-1/4" diameter 6-wire cage.

RF9HD-J12/ctn

4" JUMBO cage frame,
5/16" stem, 6-wire cage.
RF4-J12/ctn

THE GREAT DANE
TOOL COMPANY



FOR JUMBO CORE
ROLLER COVERS ONLY

WHITE CHINA BRISTLE CHIP BRUSHES

White China bristle with sanded wood handle.

THE GREAT DANE
TOOL COMPANY

CHECK OUR
QUALITY AGAINST
OTHERS!

	Width	Thickness	Trim	Std Pk	Mstr Ctn
PB1/2	1/2"	1/4"	1-1/2"	36	864
PB1	1"	5/16"	1-1/2"	36	864
PB1-1/2	1-1/2"	5/16"	1-1/2"	36	864
PB2	2"	5/16"	1-1/2"	24	432
PB2HD Dbl Thick	2"	1/2"	2"	24	144
PB2-1/2	2-1/2"	3/8"	1-1/2"	24	432
PB3	3"	3/8"	1-1/2"	24	432
PB3HD Dbl Thick	3"	5/8"	1-7/8"	12	240
PB4	4"	3/8"	1-3/4"	12	240
PB4HD Dbl Thick	4"	11/16"	2"	12	144



SOLVENT-PROOF CHIP™ BRUSHES

- White China bristle, square trim, 5/16" thick.
- Tin-plated steel ferrule.
- Clear plastic flat handle resists water and solvents; 4" size has beavertail handle.

WOOSTER
BRUSH COMPANY

	Width	Trim	
PB1-SOLVPRF	1"	1-11/16"	36/ctn
PB2-SOLVPRF	2"	1-11/16"	24/ctn
PB3-SOLVPRF	3"	1-11/16"	24/ctn
PB4-SOLVPRF	4"	1-15/16"	6/ctn

• **SPECIAL ORDER**



CHINA BRISTLE FILL PAINT BRUSHES

Black China bristle fill, chisel trim. Lacquered walnut wood handle, steel ferrule. For oil-based paints, chip & touch-up. (12/ctn)

PB832-1	1"	3/8"	2"
PB832-2	2"	1/2"	2"
PB832-2-1/2	2-1/2"	1/2"	2-1/4"
PB832-3	3"	1/2"	2-1/4"
PB832-4	4"	1/2"	2-9/16"

• **SPECIAL ORDER**

White China bristle fill, chisel trim. Lacquered wood handle, metal ferrule, 2-3/8" trim.

PBZ1101-1	1"	7/16"	24/ctn
PBZ1101-1-1/2	1-1/2"	1/2"	24/ctn
PBZ1101-2	2"	9/16"	24/ctn
PBZ1101-3	3"	11/16"	12/ctn

• **SPECIAL ORDER**



FOAM PAINT BRUSHES

Foam paint brush with wooden dowel handle.

PB-1F	1" width	50/ctn
PB-2F	2" width	50/ctn
PB-3F	3" width	40/ctn
PB-4F	4" width	30/ctn



PB4-4F

SYNTHETIC FILL PAINT BRUSHES

Width Thickness Trim

Black polyester fill, chisel trim. Plastic handle, steel ferrule. Good quality at an economical price! (12/ctn)

PB31710 1" 3/8" 2"
 PB31715 1-1/2" 7/16" 2"
 PB31720 2" 7/16" 2"
 PB31725 * 2-1/2" 7/16" 2"
 PB31730 3" 1/2" 2-1/4"
 PB31740 4" 11/16" 2-1/4"

* SPECIAL ORDER

Gold polyester fill, chisel trim. Black plastic handle, brass-plated steel ferrule. Great for latex or oil paints.

PBP3972 2" 9/16" 2-7/16" 24/ctn
 PBP3973 * 3" 11/16" 2-11/16" 12/ctn
 PBP3974 4" 7/8" 3-7/16" 12/ctn

* SPECIAL ORDER

White polyester fill, chisel trim. Sanded wood handle, brass ferrule. **Quality brush at a great price!**

PB11-1-1/2 1-1/2" 1/2" 2-1/2" 12/ctn

White blended polyester fill. Lacquered wood handle, brass ferrule. Perfect for interior or exterior painting as well as staining or varnishing wood surfaces. (12/ctn)

PB7030-1 1" 7/16" 2-3/8"
 PB7030-2 * 2" 9/16" 2-7/16"
 PB7030-2-1/2 * 2-1/2" 9/16" 2-7/16"

* SPECIAL ORDER

4" EPDM ROOFING BRUSH

4" width applies adhesives quickly. Special 1-1/2" short trim - very stiff synthetic fill.

PB4SP 12/ctn

Excellent For EPDM roof applications.

THE GREAT DANE TOOL COMPANY

COUNTER BRUSHES

8" sanded wood block, silver flagged synthetic fill, 2-1/2" trim, for fine debris.

CB82 12/ctn

8" poly block, black tampico fill, 2-1/2" trim, for fine debris.

CB83 12/ctn

8" wood block, grey tampico fiber fill, 2-1/2" trim.

BEST FOR COARSE USE

CB84 12/ctn

8" poly block, horsehair/synthetic blend fill, 2-1/2" trim.

BEST FOR FINE USE

CB86 12/ctn

8" sanded wood block, black synthetic fill, 2-1/2" trim, for fine debris.

CB89 12/ctn

8" poly block, 100% horsehair fill, 2-1/2" trim, for fine debris.

CB90 12/ctn

UTILITY BRUSHES

Synthetic block, white tampico fill, 2" trim. (Acid-resistant.)

U90 8" 12/ctn

U91 20" 12/ctn

Synthetic block, synthetic fill, 2" trim. (Acid-resistant.)

U93 8" 12/ctn

U94 20" 12/ctn

Synthetic block, palmyra fill, 2" trim. (Acid-resistant.)

U96 8" 12/ctn

U97 20" 12/ctn

Synthetic block, white nylon fill, 2" trim.

U98 8" 12/ctn

U99 20" 12/ctn

20" hardwood block, crimped blue plastic fill, 1-3/4" trim.

UM70B 12/ctn

MASONRY BRUSHES

6-1/2" x 2" wood block, white tampico fill, red handle, 5 rows, 4" trim. Most popular of all masonry brushes.

M187 12/ctn

6" hardwood block, white tampico fill, 2 rows, 3" trim.

M587 12/ctn

6-3/8" x 1-3/4" wood block, white tampico fill, 6-1/2" handle attached, 5 rows, 3-1/2" trim.

M186 12/ctn

6-1/2" x 1-3/4" wood block, white tampico fill, 5-1/2" handle attached, 4 rows, 3" trim. Popular for use with 5 gallon pails.

M185 12/ctn

ACID BRUSHES

Tin ferrule acid brushes, horsehair fill. 6" overall length. (1 gross/ctn)

ACID 1 3/8" width, 3/4" trim

ACID 2 1/2" width, 13/16" trim

GENERAL PURPOSE HAND BRUSHES

These hand brushes are used for a variety of brushing & cleaning applications. Synthetic block is 7-1/8" x 7/16". Material is 3 x 7 rows, 1/2" trim. (36/ctn)

P8138B Brass

P8138N Nylon

P8138SS Stainless Steel

Stainless steel fill 'toothbrush' style scrub brush, 1/2" trim. 7-3/4" x 7/16" wood block. Material is 3 x 7 rows.

8138SS 36/ctn

BOOT & SHOE BRUSH

Boot & shoe cleaner brush.

BOOT & SHOE 1/ctn



WIRE HAND BRUSHES

Made in America with American steel. Smooth hardwood blocks. Extensively used to brush away castings, welds and metal chips. Also for removing rust, mill scale, grease and dirt from metal surfaces.

Tempered steel wire. (12/ctn)

14" x 1-1/8" sanded wood block,
curved style handle. 4 x 19 rows.

WS583

14" x 1" sanded wood block,
curved style handle. 3 x 19 rows.

WS883

WS883SCw/Scraper

WS883SSw/SS Fill

10" x 1" sanded wood block,
shoe handle style. 4 x 16 rows.

WS783

WS783B w/Bronze Fill

WS783SC * w/Scraper * **SPECIAL ORDER**

7-1/4" x 2-1/4" sanded wood
block. 6 x 19 rows.

WS483

11" x 1-1/2" sanded wood block
with scraper. 4 x 11 rows.

WS592SC w/Scraper



HOUSEHOLD - WHISK & LOBBY BROOMS

Household - 100" all corn, 3-sew, velvet
cap. 9" trim from bottom of sewing,
11" sweeping width. 15/16" diameter
hardwood handle, clear lacquer finish.

HAC24..... 12/ctn

Lobby - 100" all corn, 3-sew,
8-1/2" sweeping width. 15/16"
diameter hardwood handle,
painted red. 39" overall length.

LOBBY..... 12/ctn

Whisk - 100% fine corn,
2 sew, 6-1/2" sweeping width.
Metal hanging cap. attached.
11" overall length.

WHISK-ALL CORN 12/ctn



JANITOR - WAREHOUSE UPRIGHT BROOMS

Warehouse - Corn/Sotol mix, 4-sew,
top wire band. 9-1/2" trim from
bottom of sewing, 12" sweeping
width. 1-1/8" diameter hardwood
handle, clear lacquer finish.

W34..... 12/ctn

Warehouse - heavy rattan fill,
4-sew, top wire band. 9-1/4"
trim from bottom of sewing,
12" sweeping width. 1-1/8"
diameter hardwood handle,
clear, lacquer finish.

WR40..... 12/ctn



SYNTHETIC UPRIGHT BROOMS

Angled, flagged synthetic fill, 9" sweeping
width. 48" plastic-coated handle attached.
Works great in small or confined areas.

HPA-S..... Household12/ctn

Angled, flagged synthetic fill, 12" sweeping
width. 48" plastic-coated handle attached.
Larger sweeping surface than household
version.

HPA-L..... Commercial12/ctn

*Flagged synthetic
bristles. Great for
fine dust
areas!*



ROOFERS & CONTRACTORS UPRIGHT

Outlasts & outperforms corn brooms many
times over. Works great on roof gravel.
Metal-cased stiff synthetic fill upright broom.
1-1/8" diameter handle.

500..... 6/ctn

Same as #500 but with a heat-treated
chisel point. Used by road crews for
fixing pot holes or other chipping
jobs. Also used by railroads
to chop & sweep ice
from switches.

505..... 6/ctn



DUST PANS

Patented lobby dust pan, 11" width. 33" yellow metal handle
included. Sweep dust and debris into the pan with ease!
Compact and hangs nicely due to its low profile.

DUST PAN-LOBBY 6/ctn

Black steel dust pan, 12" wide.
Industrial-Contractor use.

DUST PAN 12/ctn



DRAFTSMAN BRUSH

14" sanded wood
block. 1 row of
gray horsehair fill,
2-1/2" trim.

DRAFTSMAN 6/ctn



PARTS CLEANING BRUSH

Metal ferrule, poly handle, polypropylene fill, 2-1/2" trim.

PCB12..... 24/ctn



BOWL BRUSH

14-1/2" bowl brush, plastic
handle, 1" trim, polypropylene
fill. No wires.

BB15..... 48/ctn



HAND SCRUB

Molded synthetic block with 'steam iron'
style handle for E-Z hold. Polypropylene
fill, 1-1/8" trim. Used everywhere!

HS6..... 12/ctn



APPLICATOR PADS & BLOCKS

High quality synthetic
lambswool. 3/4" nap. (1/pk)

A12 12" lambswool pad

A16 16" lambswool pad

A18 * 18" lambswool pad

AB12 12" lambswool pad & block

AB16 16" lambswool pad & block

AB18 * ... 18" lambswool pad & block

* **SPECIAL ORDER**



FLOOR SWEEPS

FINE SWEEPS

Gray flagged (split tips) synthetic fill, 3" trim. Bristles won't lay over. Not recommended around wet areas. (12/ctn)

FB918 18" FB930 30"
FB924 24" FB936 36"

Pure black horsehair, 3" trim. For very fine sweeping. Should be cleaned and hung up after each use. Also used for concrete finishing. (12/ctn)

FB618 18"
FB624 24"

Black tampico fill, 3" trim. Not recommended around wet areas. (12/ctn)

FB118 18" FB130 30"
FB124 24" FB136 36"

MEDIUM & ALL-PURPOSE SWEEPS

Fine synthetic center, horsehair and synthetic border, 3" trim. No matting or laying-over of bristles. (12/ctn)

FB218P 18" FB230P 30"
FB224P 24" FB236P 36"

Synthetic fill fine-medium sweep, 3" trim. Resists laying over or matting. Most conditions do not affect it. Low price AND performs well. (12/ctn)

FB118P 18"
FB124P 24"
FB136P 36"

Medium stiff synthetic center, flagged synthetic border, 3" trim. Sweeps fine dust in addition to any heavier debris mixed in. No matting or curling. Can be used just about anywhere. (12/ctn)

FB2918 18" FB2930 30"
FB2924 24" FB2936 36"

COARSE SWEEPS

Stiff synthetic fill, 3" trim for all coarse or outside sweeping. No matting or laying-over of bristles. Use where dust is not a concern. Our best coarse sweep. **Grease - oil - solvents do not affect this broom.** (12/ctn)

FB1618S..... 18" FB1630S..... 30"
FB1624S..... 24" FB1636S..... 36"

ROOFERS FELT BROOM

Oil-treated palmyra fill, 4" trim. Wood block has threaded & tapered handle holes. (12/ctn)

FB1218 18" (No Brace)
FB1224 24" (No Brace)

30" & 36" brushes come with HB-M106 heavy duty handle brace!

FB1230 30" - brace included
FB1236 36" - brace included

THREADED &
TAPERED HANDLE
HOLE! BRACE
INCLUDED
WITH 30" & 36"

STREET BROOMS

THE BEST STREET BROOM FOR EVERY JOB!

Stiff white synthetic street broom. No shedding or matting. Outlasts and outperforms every other street broom on the market.

ST7166 16" 6/ctn
ST9245 24" 6/ctn

The stiff 4" trim is the secret to the great performance!

Undyed palmyra stalk, 6-1/4" trim. Sanded wood block with tapered handle holes.

ST4165 16" 6/ctn

Synthetic mix, 5-1/4" trim, heavy fill, no shedding, matting or breaking off.

ST9165 16" 6/ctn

Orange poly, 5-1/4" fill for the "orange bristle" buyers.

ST16 16" 6/ctn

16" .014 gauge tempered round steel wire street broom. 5 rows, 3-3/4" trim, tapered handle hole. Cuts caked debris. Used around 'hot' areas.

STRW16 .. 16" 6/ctn

ROOFERS BRUSHES

3 & 4 knot roofing brushes.

4-1/4" trim, tampico fill.

Tapered Handle Holes (12/ctn)

R3KT 3 knot
R4KT 4 knot

Economy roofing brushes, hardwood block, white tampico fill. 2-1/4" trim. Tapered & threaded handle holes. (12/ctn)

RWT-7TT 7" 2-1/4" trim
RWT-10SP..... 10" 2" trim

ACID SCRUB BRUSHES

8-1/4" wood block, white tampico fill, 1-1/4" trim. Threaded & tapered handle holes.

AST-8 12/ctn

WINDOW BRUSHES

8" hardwood block with white tampico fill, 2-1/2" trim, tapered handle hole.

WB8T 12/ctn

4-1/2" diameter hard molded synthetic block with one threaded and one tapered handle hole. Heavy gray/silver flagged synthetic fill, 2-1/2" trim, fountain style.

WB4-1/2 * 12/ctn

* SPECIAL ORDER

WB4-1/2



CAR / TRUCK WASH BRUSHES

THESE BRUSHES PERFORM BETTER AND LAST LONGER THAN OTHERS WE HAVE TESTED. PERFECT FOR HIGHLY POLISHED SURFACES, TRUCKS, VANS, BOATS, SIDING, WINDOWS & WALL WASHING.

9" x 2-3/4" synthetic block with threaded handle hole. Vinyl bumper encircles block. Blue Nylex flagged synthetic fill, 2-1/2" trim. Fountain style.

TWB28..... 6/ctn



10" dual position synthetic block with threaded handle hole. Gray flagged synthetic fill, 2" trim, acid-resistant. Fountain style.

TWB10..... 1/ctn



9" x 2-3/4" synthetic block with one threaded hole. Vinyl bumper encircles block. Gray/silver polypropylene fill, 2-1/2" trim. Fountain style. Stiffer bristle than TWB28.

TWB9-1/2A 6/ctn



DECK SCRUBS

10" poly block, palmyra fill, 2" trim. One tapered & one threaded handle hole.

DSF10-TT 12/ctn



10" wood block, stiff synthetic fill, 2-1/2" trim. One threaded & one tapered handle hole.

DSP10-TT 12/ctn



10" DUAL POSITION synthetic block, stiff synthetic fill, 1-3/4" trim. One threaded handle hole.

DSPM10..... 1/ctn



12" wire deck scrub. .014 gauge carbon steel fill, 2" trim. Staple set in smooth sanded hardwood block with one tapered and one threaded handle hole.

DSM412S..... 12/ctn



CONCRETE FINISHING BRUSHES

Clear lacquered hardwood block. 18" - 48" have threaded handle hole and two holes for use with bull float brackets.

HORSEHAIR FILL

CF-12-HH 12" block.... 12/ctn

CF-24-HH 24" block.... 6/ctn

CF-36-HH 36" block.... 6/ctn

* SPECIAL ORDER



BLACK POLY FILL

CF18..... 18" block..... 6/ctn

CF24..... 24" block..... 6/ctn

CF36..... 36" block..... 6/ctn

CF48..... 48" block..... 6/ctn



BLACK POLY FILL WITH ADJUSTABLE THREADED HANDLE SOCKET

3" trim, fine synthetic fill. Adjusts to any angle.

CF-ADJ-30 30" 6/ctn

CF-ADJ-36 36" 2/ctn



PROP 65 WARNING:
STYRENE-NSRL-27
www.P65Warnings.ca.gov.

#1 GRADE LACQUERED HARDWOOD HANDLES

CAST METAL THREADED (12/ctn)

H48MT..... 15/16" x 48"

H60MT..... 15/16" x 60"

H72MT..... 15/16" x 72"

HD60MT 1-1/8" x 60"



WOOD THREADED END (12/ctn)

H48WT 15/16" x 48"

H54WT 15/16" x 54"

H60WT 15/16" x 60"

HD60WT 1-1/8" x 60"

HD72WT 1-1/8" x 72"



TAPERED END (12/ctn)

H48T 15/16" x 48"

H60T 15/16" x 60"

HD54T..... 1-1/8" x 54"

HD60T..... 1-1/8" x 60"

HD72T..... 1-1/8" x 72"



14" LACAUERED HARDWOOD HANDLES

Same quality lacquered hardwood but only 14" length. (24/ctn)

HH14WT wood threaded, 15/16" dia.

HH14T-1..... tapered end, 1" x dia.




HANDLE BRACES

Steel handle brace. Oversize wood screws included. **A must for sweeps 24" or larger.** Handles won't turn, go sideways or come out. Low cost investment that prolongs the usefulness of your sweeps!

HB-M106 12/ctn

U-bolt style handle brace. It mainly keeps the handle from turning. Less expensive alternative.

HB-M102 1/pk



HANDLE ADAPTER

Solid nylon handle adapter. Converts threaded handles to tapered. Durable design that will not break.

HTPA-NYLON 1/pk



FIBERGLASS HANDLE - SHOCK-ABSORBING

LIGHTWEIGHT & DURABLE! Threaded tip is made of 'space-age' synthetic polymeric that will absorb shock that breaks most other tips. 1" diameter x 60" length.

H60FG..... 12/ctn



STEEL HANDLE

15/16" x 60" black plastic coated steel handle. Metal threaded tip & black plastic swivel hanging cap.

H60PCS-MT 15/ctn



SHERLOCK® EXTENSION HANDLES



THE WOOSTER
SHOCK RESISTANT

* ADDITIONAL
HANDLING CHARGE

H48-SHERLOCK..... 4' - 8' 6/ctn

H612-SHERLOCK..... 6' - 12' 3/ctn

H816-SHERLOCK 8' - 16' 3/ctn

Sherlock® Maintenance Kit

Parts for Spring, Tip or Lever Replacement:
1 threaded tip, 2 screws, 1 lever, 1 pin and 3 springs.

SHERLOCK-MNTKIT 1 kit/ctn



- Hexagonal aluminum inner pole prevents twisting.
- Rugged fiberglass outer pole.
- Easily adjusts in 6" increments with a touch of the thumb, then locks securely in place.
- Universal threaded tip works with all popular tools.


FLOOR SQUEEGES

Steel-back floor squeegee with a 1/4" x 2" black Buna Blend rubber blade. Steel handle socket that won't crack or let go of the handle. (6/ctn)

FS318 18" straight
FS324 24" straight
FS330 30" straight
FS336 36" straight
FS348 48" straight



FS324C 24" curved
FS330C 30" curved
FS336C 36" curved




SERRATED NON-MARKING SQUEEGES

Steel-back floor squeegee with 1/4" X 2" stiff, gray EPDM serrated rubber blade. Non-marking. Steel handle socket. (6/ctn)




Length	Serration
FS18SE-1/8 18"	1/8"
FS18SE-3/16 18"	3/16"
FS18SE-1/4 18"	1/4"
FS18SE-3/8 18"	3/8"
FS24SE-1/8 24"	1/8"
FS24SE-3/16 24"	3/16"
FS24SE-1/4 24"	1/4"
FS24SE-3/8 24"	3/8"
FS36SE-3/16 36"	3/16"



24" CURVED END SQUEEGEE WITH 3/16" SERRATIONS.

FS24CSE-3/16 6/ctn




SMOOTH NON-MARKING SQUEEGES

Steel-back floor squeegee with 1/4" X 2" stiff, gray EPDM rubber blade. Non-marking. Steel handle socket. (6/ctn)

FS318G 18"
FS324G 24"
FS330G 30"
FS336G 36"




* SPECIAL ORDER



SPONGE NON-MARKING SQUEEGES

Double sponge gray non-marking floor squeegee mounted on our steel channel with steel handle socket. (4/ctn)

FS318-SPONGE 18"
FS324-SPONGE 24"
FS330-SPONGE 30"
FS336-SPONGE 36"



NOTCHED COATINGS SQUEEGEE

24" straight coatings squeegee. Steel handle socket, stiff black rubber blade. Notches are 1/4" wide x 3/16" deep.

FS24SE-COATINGS... 6/ctn




REFILL BLADES AVAILABLE FOR ALL ABOVE SQUEEGES - CONTACT US FOR PRICING.

SQUEEGES FOR HOT APPLIED APPLICATIONS

Steel-back squeegees with steel handle socket. Safe for use on hot applications. Low chemical reactivity. Same flexibility as neoprene and red EPDM. Remains stable at temperatures up to 450° F.

FS24OSI 24" 6/ctn



WOOD-BACK FLOOR SQUEEGES

Non-sparking wood-back applicator for small jobs. Double your value by using both sides. Threaded handle hole. For all types of uses. (12/ctn)

NOTCHED BLADE - 1/4" x 1/4"

FSWB18N-2 18"
FSWB24N-2 24"



DRIVEWAY & COATINGS APPLICATORS

Disposable applicators for driveway dressings or asphalt sealers. Wood block, threaded handle hole, rubber squeegee. 2" trim palmyra fill. (12/ctn)

DA12-PALM 12"
DA18-PALM 18"



WINDOW SQUEEGES

U-shaped galvanized steel channel riveted to a plated steel handle. A split-end red non-marking rubber clinched in the frame. (12/ctn)

WSQ12 12"
WSQ14 14"
WSQ16 16"
WSQ18 18"

* SPECIAL ORDER



Plated steel frame provides strength & 2-ply red thermal rubber blend blades yield superior performance. (12/ctn)

WSQ18HD 18"

SPIKED SHOES

Durable black polypropylene shoes with 13 replaceable 3/4" steel spikes and adjustable straps. One size fits all.

SHOE-3/4..... 1 pair/ctn

3/4" REPLACEMENT SPIKE SET ONLY

SHOE-3/4-REPL.... (26 spikes/set, 1 set/ctn)



SHOE-IN PRO FINISH SPIKED SHOES

No more frustration with straps, buckles, or adjustments.

Increased stability & added flexibility when you need to bend over or kneel down. Applying epoxy floor coatings & decorative concrete with spiked shoes has never been easier. (1 pr/ctn)

SHOE IN-S Small (boot size 8 & under)
SHOE IN-M Medium (boot size 8-9)
SHOE IN-L Large (boot size 9-11)
SHOE IN-XL X-tra Large (boot size 11-16)

* SPECIAL ORDER

3/4" REPLACEMENT SPIKE SETS ONLY (32 spikes/set, 1 set/ctn)

SHOE IN-REPL-S Sharp spike set
SHOE IN-REPL-D Dull spike set



SEAM ROLLERS

Double fork steel roller.

2" wide x 2" diameter. Slightly rounded edges won't cut material membranes. Enclosed bearings, 5" wood handle.

SEAM-2S.....5/ctn



SEAM-2S

Single fork steel radius roller.

2" wide x 2" diameter. Enclosed bearings, 5" wood handle. For use around flashings.

SEAM-2RADS.....5/ctn



SEAM-2RADS

Single fork silicone rubber roller.

1-3/4" wide x 1-5/16" diameter. Non-stick, heat-resistant surface. Enclosed bearings, 5" wood handle.

SEAM-1.75R12/ctn



SEAM-1.75R

Double fork silicone rubber roller.

4" wide x 2" diameter. Non-stick, heat-resistant surface. Enclosed bearings, 5" wood handle.

SEAM-4R3/ctn



SEAM-4R

Double fork nylon roller.

1/2" wide x 2" diameter. Enclosed bearings, 5" wood handle.

SEAM-170-1/2N12/ctn



SEAM-170-1/2N

Foam covered 5" handle rollers. Metal threads allow a threaded handle to be used for standing while rolling out a seam.

Available in **steel (4")** or **non-stick, heat-resistant silicone rubber (2" & 4")**.



SEAM-4R-TSF

SEAM-4S-TSF.....Double.....Steel.....4".....2".....3/ctn

SEAM-2R-TSF.....Single.....Silicone.....2".....1-5/16".....5/ctn

SEAM-4R-TSF.....Double.....Silicone.....4".....2".....3/ctn

*** SPECIAL ORDER**

Fork Roller Width Dia.

PICK-AND-ROLL DETAIL SEAM ROLLER

It is a seam roller **AND** weld probe pick in one! Combines the features of the best-selling 1.75" wide silicone roller with heavy-duty retractable steel pick. The pick is at the same end as the roller, making it fast & easy to switch between rolling & picking.

SEAM-1.75RPROBE5/ctn



- No more torn clothes or other damage from exposed point.
- Wing screw allows tool-free adjustment of pick.
- No need to throw away when pick wears out.
- Pick can also be used to smooth down and manipulate material.
- Roller bracket features offset design for increased leverage & is extended to keep hands away from hot air welder.

RUBBER / BRASS COMBO SEAM ROLLER

Rubber/Brass roller combo gives roofers one tool for a multitude of hot air welding applications.

SEAM-1.75R-BRASS.....5/ctn




- 1.75" wide silicone rubber roller on one end.
- Hardwood handle.
- High quality sealed bearings.
- .23" wide brass roller on the other end.
- Rubber roller with single fork, brass roller with double forks.

75lb SEAM ROLLER

16" wide 75 lb polished steel roller. For application of self-adhered membranes. Detachable pivoting legs with wheels to transport roller to and from the job site. Steel handle also detachable. Segmented rollers provide even pressure on uneven surfaces. Axles are inset to prevent any scuffing on the sides.

SEAM-16S751/ctn

*** ADDITIONAL HANDLING CHARGE**



SEAM TEST TOOLS

Economical seam test tool.

Steel construction with molded plastic handle and metal threaded socket.

SEAM-TEST TOOL1/ctn



Super duty contractor test tool. Features steel construction and threaded end to accept extension handle. Deep cushion grip and replaceable parts.

SEAM-PROBE-HD5/ctn



'CHECK-MARK' SEAM PROBE/MARKER

It is a seam probe AND marker in one! Carry and use like a regular pick. Then, when needed, extend the crayon out to mark defective seams. Button allows for extension and retraction of the crayon.

SEAM-PROBE-MRKR10/ctn


- Accepts standard 1/2" dia lumber crayons.
- 1 red hard lumber crayon included.
- Replaceable pick.
- Aluminum & steel construction.



CORE CUTTERS

For retrieving core samples from roof surfaces. Removable handle. Capable of extracting a 2" dia and 7" deep core sample.

CORE CUTTER.....1/ctn



POWER-CORE CORE CUTTER

For use with heavy duty, high torque drills having a minimum 1/2" chuck.

The heat-treated Power-Core uses a heavy duty threaded rod to power through material and extract a 2" diameter and 7" deep core sample.

CORE CUTTER-PWR.....1/ctn



SHEARS

Our shears are manufactured for continuous and intense production use. (6/ctn)

- Constructed from hot hammer forgings.
- Precise Ground Nickel-Plated Steel Blades
- Rust-Resistant
- Oversized Offset Handle
- Made to be re-sharpened several times.

Size Length of Cut

SHEARS 210LR ... 10" ... 4-3/4"
SHEARS 208LR ... 8" ... 3-1/2"

LEFT-HANDED 10" BENT TRIMMERS

Same quality forging & finishing as #210LR.
(Handle not oversized.)

SHEARS 210 LEFT 6/ctn

LIGHTWEIGHT ERGO-DESIGN SHEARS

Light, ergo-designed, soft blue handles that allow the operator to cut for long periods of time without the usual cramping of the hands! Oversize grip! A lighter shear & BIG price break!
10" oversized bent trimmers, 4-3/4" length of cut.

SHEARS 7310 6/ctn

AVIATION SNIPS

Forged and heat treated steel blades for strength & durability. Textured comfort grips are color-coded by cutting pattern.

1-1/4" (32mm) length of cut, 9-1/2" (241mm) closed overall length.
(6/ctn)

SNIPS-LEFT green
SNIPS-STRAIGHT ... yellow
SNIPS-RIGHT red

DIAMOND BLADES

4.5" DIAMETER TURBO GENERAL PURPOSE BLADE

BLADE-TURBO-4.5

BLADE-TURBO-4.5
1/ctn

Applications: Mortar Removal, Concrete
Features: Sintered, Turbo Style, Continuous Rim, Polished, Dry/Wet Use
Equipment: Angle Grinder, Circular Saw, Masonry Saw, High Speed Power Saw, Dry Use, Wet Use

4.5" DIAMETER STANDARD TUCK POINT BLADE (.25" Rim Thickness)

BLADE-TUCK-4.5
1/ctn

Applications: General Purpose, Block, Concrete, Pavers, Brick
Features: Sintered/Brazed, Key Hole Gullet, Polished, Wet/Dry Use
Equipment: Angle Grinder, Circular Saw, Dry Use, Wet Use

BLADE-TUCK-4.5

14" GENERAL PURPOSE CONCRETE/MASONRY BLADE

General purpose segmented concrete/masonry blade.

BLADE-MASON-14 * 1/ctn

* SPECIAL ORDER

BLADE-MASON-14

SANDING DISCS & SCREENS

SANDING DISCS

Width Grit

DISC-SAND17-36G 17" 36 20/ctn
DISC-SAND17-80G 17" 80 20/ctn

SANDING SCREENS

Width Grit

DISC-SCRN17-80 17" 80 10/ctn
DISC-SCRN17-100 17" 100 10/ctn

Other Sizes & Grits Available

KNIVES

Ergonomic handle with side rubber grips. Includes 3 extra blades in the drop-down cradle. Quick-release button makes changing blades fast & easy!

KNIFE-RETR-HD 6/ctn

THE GREAT DANE TOOL COMPANY

Standard retractable blade knife. Includes 1 blade.

KNIFE-RETR-STD
12/ctn

Quick opening fixed blade knife. Includes 1 blade.

KNIFE-FIXED-STD
12/ctn

Fixed blade ergonomic knife.

KNIFE-DOLPHIN 1/pk

UTILITY & ROOFING KNIFE BLADES

TYPE 92 UTILITY BLADES

Heavy duty .025 thick. 100 blades per carton

BLADE-UTIL 100

5 Blades/Pack,
20 packs/ctn



Also available in 100 blade dispenser.
#BLADE-#92-DISP

HOOK BLADES

Roofers standard deep hook blade, .025 thick. Made in Sheffield England.
100 blades per carton

BLADE-DEEP HOOK

5 Blades/Pack,
20 packs/ctn



Also available in 100 blade dispenser.
#BLADE-DEEP-DISP

HEAVY DUTY DEEP HOOK BLADES

.025 thick. MADE IN USA! 100 blades per carton
5 Blades/Pack, 20 packs/ctn

BLADE-DEEP HKHD



PRO SCORING KNIFE

Heavy-duty knife for scoring roofing & other materials. Heat-treated high carbon steel blade, precision ground to razor sharpness. Nylon/rubber handle.

KNIFE-INSUL 20/ctn



DRYWALL JAB SAW

Triple-ground beveled teeth with an aggressive design that cuts through drywall, plywood, wallboard and plastic.

JAB SAW 6/ctn



5-IN-1 SCRAPER TOOL

- Half-Round Cutout Removes Paint From Roller
- Sharp Point Opens Cracks For Patching
- Sharp Blade Scraper
- Putty Remover
- Spreader

5-IN-1-TOOL..... 12/ctn

PUTTY KNIVES

3" BLADE SCRAPER - THREADED HANDLE INSERT

KNIFE-PUTTY-3B..... Bent 5/ctn
KNIFE-PUTTY-3..... Straight ... 5/ctn

- High carbon steel blade.
- Contoured handle for sure grip.
- Plastic with threaded handle end accepts acme threaded broom handles.

6" STEEL JOINT KNIFE - COMFORT GRIP HANDLE

KNIFE-PUTTY-6..... Straight5/ctn

- Polished steel blade.
- Brass plated hammering end for setting protruding nails.
- Ergonomic comfort grip handles enhance both control & comfort.

SCRAPERS

4" wall & floor scraper. Comfortable no-slip grip.

SCRAPER-4 1/ctn

- Overall length: 11-3/4"
- Equipped with replaceable 4" blade.
- Two screws lock the razor sharp blade in the die cast head.

8" Extendable Scraper, 39"-59"

SCRAPER-8-LH 2/ctn

- 8" replaceable razor sharp edge.
- Handle adjusts & locks with a twist.
- Not recommended for heavy duty prying floor removal.

SCRAPER BLADES

Heavy duty flooring scraper blades, .036" thick

BLADE-SCRAPER-4.....4"..... 10 blades/pk

BLADE-SCRAPER-8.....8"..... 50 blades/pk

VERSABLADE® TROWEL SYSTEM

Comfortable solid rubber grip handle is made of easy to clean solvent resistant plastic. The handle securely fastens to the blade by simply aligning the slotted openings of the handle with the steel button projections of the blade and tapping trowel edge on the floor until tight and the front button is covered.

To remove blade, simply tap trowel on opposite end. **Handles and blades sold separately.** (12ctn)

SEE BELOW FOR BLADE STYLES & SIZES.

Rib Size
VERSA-HDL-BLACK Small
VERSA-HDL-RED Large
VERSA-HDL-OPEN Small

VERSABLADE® NOTCH BLADES (12/ctn)

Blade Notches

VERSA-BLADE-ACTACT - Sheet Vinyl Flrg
VERSA-BLADE-AVFACF - Vinyl Comp Flrg
VERSA-BLADE-BHFBHF - Hardwood Plank
VERSA-BLADE-CTB.....CTB - Ceramic Tile
VERSA-BLADE-FFAFFA - Vinyl Comp Flrg
VERSA-BLADE-RCARCA - Glued Carpet Direct
VERSA-BLADE-WHAWHA - Vinyl Comp Flrg

INJECTA NOTCH TROWEL SYSTEM

Injecta Notch Trowel Handles - With economical & easily replaced trowel blades, this system is available in a variety of 'California Handle' styles, each on a cast aluminum mounting as below. Top quality sanded hardwood handle or the Ultigrip molded rubber cushion handle. All trowels are 11" and have the RCA notch on a 10° angled leading edge, are 4-3/8" wide with blade installed. Blades sold separately. (12/ctn)


SEE BELOW FOR BLADE STYLES & SIZES.

	Handle Type	Hand Side
INJ-HDL-WD-RH11	•..... Wood.....	Right
INJ-HDL-WD-LH11	•..... Wood.....	Left
INJ-HDL-RD-RH11	•..... Ultigrip.....	Right
INJ-HDL-RD-LH11	•..... Ultigrip.....	Left

INJECTA NOTCH BLADES (12/ctn)

INJ-BLADE-ACT •..... ACT - Sheet Vinyl Flrg
INJ-BLADE-BHF •..... BHF - Hardwood Plank
INJ-BLADE-CTB •..... CTB - Ceramic Tile
INJ-BLADE-FFA •..... FFA - Vinyl Composite Flrg
INJ-BLADE-RCA •..... RCA - Glued Carpet Direct

VERSABLADE® & INJECTA NOTCH BLADE STYLES



TROWELS - HIGH CARBON STEEL

POINTING TROWELS (12/ctn)

TROWEL-PTG-5-1/2... 5-1/2" x 2-3/4" blade
TROWEL-PTG-7..... 7" x 3" blade

MARGIN TROWELS (12/ctn)

TROWEL-MAR-5 5" x 2" blade

GAUGING TROWELS (12/ctn)

TROWEL-GAUG-7 7" x 3-3/8" blade

FINISHING TROWELS

14" x 4" high grade hardened & tempered spring steel blade, properly shaped, aluminum alloy Xtralite® mounting, beveled work edges prevent surface aggregate popping, resilient DuraSoft® handle provides soft feel, reduces fatigue & offers excellent durability.

TROWEL-MXS64HD..... 12/ctn

Polished steel blade, aluminum mounting, comfortable curved wood handle. (6/ctn)

TROWEL-CEM-14X4 4" x 14"
TROWEL-CEM-16X4 4" x 16"



CAULKING GUNS

SKELETON FRAME

10 oz metal frame gun,
6:1 thrust ratio.

CAULK 10-10-SF.....24/ctn

10.3 oz metal frame **non-drip**
gun, 7:1 thrust ratio. Ladder
hook & seal puncture tool
attached.

CAULK 10-7-SF-D.....12/ctn

32 oz jumbo metal frame gun,
10:1 thrust ratio. Features revolving
barrel, thumb release and seal
puncture tool.

CAULK 32-18-SFD6/ctn

HALF-BARREL

10 oz metal frame gun,
5:1 thrust ratio. Features
smooth rod handle.
Good quality and
economically priced.

CAULK 10-3-HB.....24/ctn

12.8 oz metal frame gun, 18:1
thrust ratio. Features revolving
barrel, thumb release, ladder
hook & seal puncture tool.

CAULK 10-18-HB.....6/ctn

32 oz jumbo metal frame gun,
26:1 thrust ratio. Features
revolving barrel, thumb release,
ladder hook & seal puncture tool.

CAULK 32-18-HB.....6/ctn

SAUSAGE / CARTRIDGE / BULK

20 oz lightweight aluminum barrel gun,
12:1 thrust ratio.

Includes:

- 3 extra pistons,
- 3 translucent
- narrow tips &
- 3 black wide cone tips.

CAULK 51001.....1/ctn

REPLACEMENT PARTS (Sold by 'each'):

CAU 0022.....Plastic Cap

CAU 0074.....Translucent Narrow Tip

CAU 0075.....Black Wide Cone Tip

BASE NOZZLES

Nozzles for use on 4" cove base. (Sold by 'each')

CAU COVE11.....11 beads

CAU COVE3.....3 beads

HAMMER TACKER & STAPLES

Heavy-duty deluxe hammer tacker.

HAMMER-TACKER.....1/ctn



- Quick-Loading
- Balanced Design
- Quick Jam Clear
- Uses 5/16" - 9/16" staples.

3/8" A11 DIVERGENT POINT STAPLES

STAPLE-3/8 5,000 staples/ctn



ROOFING TORCHES

TurboRoofer field torch kit. Brass and stainless steel construction. Trigger style handle for shifting between pilot & main flame. Dual-valve nozzles for adjusting flow of pilot & main flame to conserve gas.

TORCH KIT1 kit/ctn



SIEVERT.

- 32" Torch Assembly w/Stand
- 25' Hose
- U.L. Listed Adjustable Regulator
- Flint Striker Spark Lighter

Torch kit COMBO 32" & 18" torch assembly.

TORCH KIT COMBO1 kit/ctn



SIEVERT.

- 32" Torch Assembly w/Stand
- 18" Torch Assembly w/Stand
- Quick-Connect Fitting For Handle
- Quick-Connect Fitting For Hose
- 25' Hose
- U.L. Listed Adjustable Regulator
- Flint Striker Spark Lighter

CLAMP KITS

Make any size stainless steel clamp you need!

24 gauge stainless steel
banding with adjustable
fasteners & band splices.
(1 kit/ctn)

Band Fasteners Splices

CLAMP KIT 50 50' 10 5

CLAMP KIT 100 100' 25 10

CLAMP KIT 50-50 50' 50 10



FOR EXTRA FASTENERS:

25 clamp fasteners.

CLAMP KIT FASTN

PROP 65
WARNING:
Nickel
www.P65Warnings.ca.gov



INDIVIDUAL BAND CLAMPS

General purpose industrial clamps. High strength exceeds all SAE requirements.
1/2" band. **Stainless hex screw.** (10 clamps/pack)

Min Dia Max Dia

CLAMP-BAND-1 9/16" 1-1/16"

CLAMP-BAND-2 1-1/16" 2"

CLAMP-BAND-3 2-1/16" 3"

CLAMP-BAND-4 3-1/16" 4"

CLAMP-BAND-5 4-1/16" 5"



*** SPECIAL ORDER**

MAGNET HAMMERS & HATCHETS

For the installation of roof dry-in
underlayments, house wrap,
sheet metal & drywall. To be
used with plastic cap nails,
metal cap nails, roofing
nails, and drywall nails.

MAGNET-HAMMER.....6/ctn



MAGNET-HAMMER

Magnetic-faced roofing hatchet.
Powerful, shielded neodymium
magnet located on the striking
face.

FOR USE ONLY WITH CAP NAILS

MAGNET-RFG-HAT6/ctn








- Sliding Gauge
- Built-In Utility Blade
- Nail Claw



MAGNET-RFG-HAT

ROOFING SPRAY PAINT

A professional grade roof paint that closely matches the original color of most roofing materials. Seamlessly blend the appearance of roofing accessories to asphalt shingles. Touch-up scratches & abrasions before or after installation. Not for anodized aluminum. (12 cans/ctn)

	Weathered Wood, PAINT-RF-WEA
	Hickory, PAINT-RF-HIC
	Charcoal, PAINT-RF-CHA
	Birchwood, PAINT-RF-BIR
	Slate Gray, PAINT-RF-SLG
	Black, PAINT-RF-BLA
	White, PAINT-RF-WHI



Suggested Uses:

- Satellite Dishes
- Flashing
- Vents
- Skylights
- Chimney Caps
- Window Frames
- Siding
- Gutters

Benefits:


- Fast dry
- Easy application.
- Resists fading.
- Closely matches original colors.
- Excellent adhesion.
- Durable long-term protection.
- Protects against rust & corrosion.

INVERTED WATER-BASED MARKING PAINT

A fast drying marking paint designed to be sprayed in an inverted position. Uses a patented technology to cut the environmental impact in half (as compared to a standard solvent based marking paint). Produces vivid marks, does not clog, and is safe for grass. Meets APWA color standards and is VOC compliant. May be sprayed by hand or with a marking gun or wand. 20 oz aerosol can.

Suggested Uses:

- Utility marking
- Golf courses
- Landscaping
- Construction sites
- Surveying
- Mining

 Alert Orange
PAINT-MK-AO 12 cans/ctn



BLACK ASPHALT ROOF PRIMER

Asphalt roof primer is a quick drying, asphalt-based material designed for priming surfaces prior to application of hot-mopped or cold-applied asphalt coatings, roof cements and asphalt-based roof and flooring adhesives. High penetrating qualities help assure a firm, tough bond. Specially designed for metal edging and flashings, weathered (composition) roofing, concrete, masonry and gypsum surfaces. 20-oz aerosol can, net wt 15oz.

PAINT-RF-PRIMER12 cans/ctn

- Excellent adhesion to concrete, wood, felt, gypsum, plastic, glass & metal.
- Forms a tough waterproof seal that will trap dust & other loose particles.
- Creeps into cracks & crevices, then sets up & bonds to surfaces.
- Fills in surface pores with a protective film that provides a smooth, even, rust-resistant covering.



9-1-1 EMERGENCY ROOF PATCH

The Great Dane Tool Co. 9-1-1 Roof Patch is made of a natural mineral compound that expands into a gel instantly upon contact with water to make a temporary leak-proof seal for flat built-up roofs.

It is the perfect product for sealing leaking roofs in inclement weather. 9-1-1 Roof Patch can even be applied in pouring rain and will move through standing water to stop leaks in minutes. No special equipment is required for handle or pouring. It is non-polluting and will not support flame. 3-1/2 gallon plastic pail

ROOF-PATCH



DUCT TAPE - CONTRACTOR GRADE

2" x 60 yd rolls. Higher cloth thread count than standard economy rolls for greater strength. Flexible polyethylene backing for increased durability and high-tack adhesive for bonding to a wide variety of smooth and rough surfaces.

8-MIL GREY Contractor Grade
TAPE-DUCT GREY..... 24 rolls/ctn

9-MIL RED Contractor Grade
TAPE-DUCT9MIL-R.... 24 rolls/ctn



BLUE PAINTER'S MASKING TAPE

UV-resistant with a specially formulated adhesive that allows for **clean removal up to 14 days**. 2" x 60 yd rolls. 5.5-mil thickness. Suitable for use on glass, most wallpaper, metal, painted or unpainted wood and stained or painted wallboard.

TAPE-MASK BM1 •..... 1"36 rolls/ctn
TAPE-MASK BM2..... 2"24 rolls/ctn



*** SPECIAL ORDER**

GENERAL PURPOSE MASKING TAPE

General purpose masking tape offering both economy and versatility. 2" x 60 yd rolls. Rated service temperature of 32° - 160° Fahrenheit. 5-mil thickness.

TAPE-MASK 2..... 24 rolls/ctn



PACKAGING TAPE & DISPENSER

Clear packaging tape with strong acrylic adhesive. 2" x 110 yd rolls. 1.8-mil thickness.

TAPE-PKG..... 36 rolls/ctn

2" tape dispenser, soft touch adjustable brake power dispenser. Retractable blade.

TAPE-DISPENSER 1/ctn



STRETCH WRAP

18" x 1500' stretch wrap, 3" core.

We've tested many. This wrap really works! Try a case and see for yourself!

STRETCH WRAP 18.... 4 rolls/ctn

Stretch Wrap Dispenser.

Adjusts for 12" - 18" wide film. Top tension control. Handle bent 33 degrees for easier bottom row wrapping. Foam cushion grip. Wide base reduces tip-over.

STRETCH DISP..... 1/ctn

Plastic Stretch Wrap

Handle. Alternative style handle for 18" stretch wrap.
1/pk - Requires two for each roll of stretch wrap.

STRETCHWRAP HDL

5" x 1000' Stretch Wrap. Extended core on one end for use as a handle.

STRETCH WRAP 5..... 4 rolls/ctn



PLASTIC BUCKETS & PAILS

5-GALLON BUCKET & LIDS

5 gallon pail, white plastic (lid sold separately). 90-MIL THICKNESS, molded from a low melt HDPE.

PAIL-5 GAL-W 144/pallet

Lid for 5 gallon pail.

PAIL-LID 5 48/pallet

Lid with spout for 5 gallon pail.

PAIL-LID 5-SP 48/pallet



5-GALLON w/GRADUATED MARKINGS

5 gallon pail with graduated markings in both liters and gallons on the side of the container. Padded handle grip.

PAIL-5 GAL-W-GR 20/ctn



For use with:

- Paints
- Water Sealants
- Soaps & Detergents
- Coatings
- Asphalt Coatings
- Concrete Patching Compounds
- Varnishes
- Printing Inks

PLASTIC BUCKETS & PAILS

2-GALLON BUCKET

2 gallon pail, white plastic (Lid not included). 90-MIL THICKNESS, molded from a low melt HDPE.

PAIL-2 GAL 1/pk



MULTI-MIX CONTAINERS

10 quart multi-mix container with metal handle. Visible quart & liter measure, solvent-resistant, re-useable, high-density polyethylene.

PAIL-10 QT W/HDL 10/ctn



PAIL-10 QT W/HDL

5 quart multi-mix container. Visible quart & liter measure, solvent-resistant, re-useable, high-density polyethylene.

PAIL-5 QT 25/ctn



PAIL-5 QT

5 quart multi-mix container with metal handle. Visible quart & liter measure, solvent-resistant, re-useable, high-density polyethylene.

PAIL-5 QT W/HDL 24/ctn



PAIL-5 QT W/HDL

2-1/2 quart multi-mix container. Visible quart & liter measure, solvent-resistant & re-useable high-density polyethylene.

PAIL-2-1/2 QT 100/ctn



PAIL-2-1/2 QT

1 quart multi-mix container. Solvent-resistant & re-useable high-density polyethylene.

PAIL-1 QT 100/ctn

PAIL-1 QT

METAL PAIL & LID

5 gallon metal pail (Lid not included). 29 gauge steel.

PAIL-5 GAL MTL 120/skid

Lid for 5 gallon metal pail.

PAIL-LID 5 MTL • 40/ctn

• SPECIAL ORDER



MIXERS

24" long heavy duty paint mixer with 3-3/4" mixer blade. Hex shaft eliminates slipping in the drill. Fits all drills 3/8" & larger. Rust-resistant coating. Use for mixing all paints & coatings. Recommended for 2-1/2 gallon & larger cans or pails.

MIXER-PAINT 6/ctn

1-gallon paint mixer.

MIXER-PAINT 1 6/ctn



28" long heavy duty mixer with 9" x 4-3/4" mixer blade. **Ideal for stirring paint, drywall mud & acoustic.** Blade is welded to a 3/8" hex shaft. Fits any 3/8" or larger slow speed drill (500 rpm).

MIXER-MUD 5/ctn

SCRUBBING PADS

10" x 4-1/2" x 3/4" multi-purpose scrubbing pads.

LIGHT DUTY

PAD10-WHITE 20/ctn

MEDIUM DUTY

PAD10-BLUE 48/ctn

MEDIUM-AGGRESSIVE

PAD10-BROWN 20/ctn



Scotch-Brite™ Production Hand Pad

6" x 9" hand pads. Perforation allows for pad to easily tear into two convenient 4-1/2" x 6" pads. Durable web construction allows for a longer lasting hand pad. A Very Fine Finish (VFN) performs similarly to wool grade 0 without the splintering.

PAD-HAND-8448-P 20/ctn

SCRUBBING PAD HOLDERS

Hand-held pad holder for 10" scrubbing pads. Allows even pressure & efficient scrubbing.

PADHOLDER-HAND 1/pk



Swivel pad holder for 10" scrubbing pads.

Threaded pivoting handle socket provides easy access to confined & hard to reach areas.

PADHOLDER-SWIV 1/pk



Use any size standard threaded handle.

EPDM SCRUBBING SPONGE

6" x 4-1/4" x 1-1/4" thick cellulose sponge with green scrub pads on each side.

EPDM SPONGE 6 50/ctn



Holds a lot of solution for scrubbing seams on roofs.

HAND PAD

6" x 9" x 1/4" green, medium duty multi-purpose scrubbing pad.

PAD-HAND-GREEN 60/ctn




RAGS

10 LB MACHINE-COMPRESSED CARTONS

All rags listed are packaged in 10 lb machine-compressed cartons.


Instead of a 'large' carton containing rags to equal 10 lbs, the 'compressed' cartons are less carton - more rag to equal 10 lbs plus they take up less space for storage and 'on the job' placement.



RECLAIMED WHITE FLANNEL

Very best for absorption. For every kind of clean-up. Roofers also use them for seam scrubbing. **OUR VERY BEST QUALITY RAG!**

RAG-FLANNEL-WH



NEW PRE-WASHED WHITE KNIT

This rag receives a special process, eliminating the resins that prevent absorption. Does the same job as our #RAG-FLANNEL-WH, just a different type of rag (white knit).

RAG-KNIT-WH-NEW



RECLAIMED PRE-WASHED WHITE KNIT

Prewashed white cotton knit rags, soft, lower lint. Recycled.

RAG-KNIT-WH-REC



RECLAIMED PRE-WASHED COLORED KNIT

Prewashed colored cotton knit rags, soft, lower lint. Recycled.

RAG-KNIT-CL-REC



RECLAIMED PRE-WASHED SWEATSHIRT

Has seams but no decals, zippers or other attachments. Roofers use them when scrubbing seams. Good economical substitute to our premium quality white flannel rags.

RAG-WHTSWEAT-10 WHITE

RAG-GRYSWEAT-10 GRAY
(Our gray rags **DO NOT BLEED!**)



RAG-CLRSWEAT-10 COLORED
Not recommended for 'scrubbing seams' - it will bleed. Not a great absorbing rag but low price.



RECLAIMED WHITE COTTON SHEET

White sheeting, low lint, lightweight but heavy duty. Good for colorfast applications.

RAG-WCOT-SHT-10 * *** SPECIAL ORDER**



RECLAIMED WHITE HALF TERRY

Towels cut in half & serged - approx. 20" x 20". Lower cost than fully finished towel. Recycled

RAG-TER-REC-W10



DISPOSABLE PAPER SHOP RAGS

9" x 15" paper wipers.
Pop-up carton for easy dispensing. 100 wipers per carton, 9 ctn/case

RAG-WHT-PAPER



CLEANER/DEGREASER & HAND WIPES

ORANGE TOUGH™ 40 LIQUID DEGREASER

ORANGE TOUGH™ 40 is a water-dilutable and rinsable all-purpose degreaser with d-Limonene. An extremely heavy duty formula providing quick penetrating, dissolving and removal of oily and greasy soils. 1 gallon jug with easy-to-pour handle.

DEGREASER-LIQ-1 4 gal/ctn



Liquid Degreaser
DEGREASER-LIQ-1



AERO-GEL AEROSOL DEGREASER

AERO-GEL is a thick, clinging and emulsifiable gel allowing penetrating agents to efficiently work on vertical and irregular surfaces. Puts the power of d-Limonene's all-purpose citrus solvents directly where you need them most. Flushes away quickly and easily with water. NSF C1 Authorized.

AERO-GEL 12 cans/ctn



Aerosol Gel
Degreaser
AERO-GEL

CITRA CLEAN HAND CLEANER

CITRA CLEAN is a waterless hand cleaner that uses the power of all natural orange peel extracts to lift and remove the most stubborn dirt and grease. Fortified with lanolin and special emollients to prevent redness and chapping. Rinsing with water is not necessary. Wipes clean with towel or rag. Contains no petroleum solvents. 1 pint bottle.

#CITRA-CLEAN-PT 12 bottles/ctn



Waterless
Hand Cleaner
CITRA-CLEAN-PT



CITRA CLEANING WIPES

Heavy-duty cleaning wipe with an industrial strength formula to remove grease, tar, ink, paint and many other tough messes on hands and most surfaces. Contains lanolin, aloe extract and vitamin E so it's gentle on hands. Each wipe is 10" x 12" and made of a durable fiber weave. 90 wipes/dispenser.

CITRA-TOWELS 6 disp/ctn



Multi-Purpose
Towels
CITRA-TOWELS

ADJUSTABLE SHOCK CORDS

Fully adjustable shock cords - eliminates the need to over-stretch the cord. The adjustment also enables you to carry one size strap for many jobs. All adjustable straps are rated at over 50 lbs strength. (12/ctn)



BUNGEE-NYLON-16 16" strap - adjusts from 0 - 24"

BUNGEE-NYLON-24 24" strap - adjusts from 0 - 36"

BUNGEE-NYLON-36 36" strap - adjusts from 0 - 54"

BUNGEE-NYLON-48 48" strap - adjusts from 0 - 72"

- Adjustable
- Nylon Outer Covering
- UVI Protected
- Resists Cracking at -45° below zero!

RUBBER S-HOOK BUNGEE CORDS

Natural rubber with UVI crimped 'S' hooks installed. (50/ctn)

BUNGEE-RBR-9 9" rubber cord

BUNGEE-RBR-15 15" rubber cord

BUNGEE-RBR-21 21" rubber cord

BUNGEE-RBR-31 31" rubber cord

BUNGEE-RBR-41 41" rubber cord

*** SPECIAL ORDER**



NYLON ZIP TIES

Black nylon zip ties. 14", 120#

TIE-NY-14B-120 100/bag



SCOOPS

ABS POLY SCOOPS

#12 ABS Poly Grain Scoop,
Poly D-Grip Handle.

Blade Size OAL Std Pk

SCOOP-ABS-DW1218.7" x 14.5"41.5" 3 ea

- Handle Dual-Riveted In Extra Long Socket
- Heavy Duty Poly Grip - Dual Riveted
- Premium Ash Handle

ALUMINUM & STEEL SCOOPS

- Stainless Steel/Wood D-Grip Design
- Dual-Riveted Socket
- Premium Ash Handle

Blade Size OAL Std Pk

#12 Aluminum Scoop D-Grip Handle

SCOOP-AL-DW12-I 19" x 14.5" 51.2" 3 ea

#8 Steel Scoop - D-Grip Handle

SCOOP-ST-DW8-I 17" x 14.6" 43.3" 3 ea

#8 Steel Scoop - Long Wood Handle (3/pk)

SCOOP-ST-LW8-I 17" x 14.6" 62.6" 3 ea

#2 Steel Scoop - Poly D-Grip Handle (3/pk)

SCOOP-ST-DW2-I 15.5" x 11" 43.5" 3 ea

#2 Steel Scoop - Long Wood Handle (3/pk)

SCOOP-ST-LW2-I 16" x 11" 62" 3 ea

BULLY® ALUMINUM & POLY SCOOPS

#12 PREMIUM ALUMINUM ALLOY SCOOP

#SCOOP-BULL01236 3/pk

- 36" Vermont Ash Handle Car Bumper Strength Poly D-Grip
- Stronger, More Flexible yet Lighter-Weight
- Over 1 Year Testing & Development
- Made In Lancaster County, PA USA!
- Limited Lifetime Warranty

#12 HEAVY DUTY POLY SCOOP

- Vermont Ash Handle (30" or 36")
- Car Bumper Strength Poly D-Grip
- Tougher-Wear Resin For Stronger Blade
- Extra UV Inhibitors For Outdoor Use
- Reinforced Handle Socket
- Assembled In Lancaster County, PA USA!

#SCOOP-BULL13012 30" Handle 3/pk

#SCOOP-BULL13612 36" Handle 3/pk

ROUND & SQUARE POINT SHOVELS

- Dual-Riveted Socket
- Premium Ash Handle
- Extra-Thick 14-Gauge Steel

Closed-back shovel blades
reduce soil build-up &
adds overall strength.

THE GREAT
DANE TOOL COMPANY

Blade Size OAL Std Pk

#2 Round Point Shovel, Long Wood Handle

SHOVEL-RD-LW2-I 14.4" x 13" 60.8" 3 ea

#2 Square Point Shovel, Long Wood Handle

SHOVEL-SQ-LW2-I 14.4" x 13" 60.8" 3 ea

#2 COAL SHOVELS

Blade Size OAL Std Pk

#2 Coal Shovel - D-Grip Handle

SHOVEL-CO-DW2-I 14.4" x 13" 42" 3 ea

#2 Coal Shovel - Long Wood Handle

SHOVEL-CO-LW2-I 14.4" x 13" 60.8" 3 ea

- Stainless Steel/Wood D-Grip Design
- Dual-Riveted Socket
- Premium Ash Handle

THE GREAT
DANE TOOL COMPANY

SPADES - ROOFERS

- Fulcrums Welded Around Perimeter - Maximum Reinforcement Where It Is Needed!
- Premium Ash Handle
- Handle Dual-Riveted In Socket

Blade Size OAL Std Pk

SERRATED WITH FULCRUM

SERRATED Tear-Off Spade - Long Fiberglass Handle (3/pk)

SPADE-3-LFG-S-I 11" x 7" 58.9" 3 ea

SERRATED Tear-Off Spade - Long Steel Handle (3/pk)

SPADE-3-LST-S-I 17" x 14.6" 58.7" 3 ea

SMOOTH WITH FULCRUM

SMOOTH Tear-Off Spade - Long Fiberglass Handle

SPADE-3-LFG-I 11" x 17" 58.9" 3 ea

SMOOTH Tear-Off Spade - Long Steel Handle

SPADE-3-LSTL-I 11" x 7" 58.7" 3 ea

SMOOTH Tear-Off Spade - Long Wood Handle

SPADE-3-LW-I 11" x 7" 60.2" 3 ea

SMOOTH WITHOUT FULCRUM

SMOOTH Tear-Off Spade - Long Wood Handle, No Fulcrum

SPADE-LW-I 11" x 7" 60.2" 3 ea

SHINGLE REMOVER WITH REPL STEEL BLADE

- Head: 8.5" wide replaceable steel serrated edge blade.
- Handle: 47.5" orange fiberglass with black poly D-Grip.

Blade Size OAL Std Pk

Shingle tear-off tool with poly D-grip fiberglass handle.

SHOVEL-SHING-FG 9" x 9" 47" 3 ea

REPLACEMENT TEAR-OFF BLADE

SHOVEL-SHING-RB * 1/pk * SPECIAL ORDER

FORGED SPADING FORK

- Forged Steel Head
- 29" Wood Handle
- Dual-Riveted Metal & Wood D-Grip
- Metal Socket w/Dual Rivet

Blade Size OAL Std Pk

PITCH-FORK-4WPD 14.4" x 13" 60.8" 3 ea

AXES

Single bit axe, hardwood handle, 3-1/2 lb.

AXE-W-I 6/pack

Single bit axe, yellow fiberglass handle, 3-1/2 lb.

AXE-FG-SIN 4/pack

WRECKING BAR

15" wrecking bar.

WRECKING 15-I 6/ctn



MATTOCK & HANDLE

5 lb cutter and mattock - HEAD ONLY

MATTOCK-5.....6/pack

HANDLE ONLY for MATTOCK-5.

MATTOCK-HANDLE ... 12/pack



SPUD BAR

72" spud bar, fine polished steel, 1" diameter.

SPUD-BAR-I ♦2/pk

* **ADDITIONAL HANDLING CHARGE**



MAGNETIC SWEEPS

NEW ITEMS!

14" HANDHELD MAGNETIC SWEEP

Putter Style

MAGNET-SWEEP 141/ctn

MAGNET-SWEEP 14

ROLLING REMOVABLE MAGNETIC SWEEP

MAGNET-ROLL 24 ♦24"1/ctn

MAGNET-ROLL 36 ♦36"1/ctn

MAGNET-ROLL 24

* **SPECIAL ORDER**

ROLLING MAGNETIC SWEEP - RELEASEABLE

30" rolling magnetic sweep with releaseable magnet.

MAGNET-REL 30 1/ctn

MAGNET-REL 30

CONTRACTOR TRASH BAGS

3-MIL 42-GALLON BAGS

There are many '3-mil' trash bags in the field! 3-mil tells you how thick they are...**NOT** how strong! We have tested many. Here's one that every roofer can throw off the roof loaded with trash!



OUR BAGS ARE DESIGNED TO **STRETCH** NOT TEAR!

THE GREAT DANE TOOL COMPANY

20 BAGS/CTN
TRASH BAG 42-20PL

50 BAGS/CTN
TRASH BAG 42-50PL

3-MIL 55-GALLON BAGS

Same great quality but in a 55-gallon bag.

TRASH BAG 55-15PL.... 15 BAGS/ctn



39" ROOFTOP PERIMETER CONE W/BASE

Rooftop perimeter cone with base provides 39" OSHA compliant tie off system. Made of high impact polyethylene with large, reinforced grip handle for ease of handling, transporting and stacking with/without base.

30# rectangular base (14" x 30") is skid-resistant, will not damage or leave rust marks on roofs. Made of 100% recycled tire rubber.



Quick Setup & Removal

Easy Assembly

SAFETY-DIV-CONE

- Break-Away Design
- Stackable with or without base.
- 2 mounting holes for warning devices.
- 46-1/4" overall height of assembled cone and base.



PENNANT FLAGS

Pennant flags are required by OSHA for perimeter marking of every above ground construction area, flat roof job and open upper-level construction.

Our pennant flags are attached to a 100' line which **exceeds the 500 lb break strength that OSHA requires.** (10 strands/ctn 30 strands/master)

PENNANT OSHA YYellow flags

PENNANT OSHA RRed flags

PENNANT OSHA RYRed & Yellow flags

- ALL ARE UV PROTECTED
- EXCEEDS OSHA STANDARDS
- 100' OVERALL LENGTH
- 42 PENNANTS PER LINE



THE GREAT DANE TOOL COMPANY

DANGER/CAUTION TAPE

Contractor grade, 2-mil thickness, non-toxic, non-flammable, UV-resistant ink, lead free.

CAUTION CAUTION CAUTION CAUTION CAUTION

TAPE DANGER300.....3" x 300'16 rolls/ctn

TAPE DANGER1000.....3" x 1,000'10 rolls/ctn

DANGER DANGER DANGER DANGER DANGER

TAPE CAUT10002M2-Mil, 3" x 1,000'10 rolls/ctn



SAFETY HARNESS KIT

Fall Protection - Roofers Kit.

5 gal. pail of fall protection.

ROOFERS KIT1 kit/bucket

OSHA/ANSI Compliance all in one convenient kit!

Replacement components available.

- V-LINE Vest Style Harness with Stamped D-Ring, Pass-Through Buckles, and Spring
- Loaded Adjustment Points for Hassle-Free Donning.
- 50' 3-Strand Rope Lifeline with Attached Rope Grab & Integrated Energy Absorber.
- Forged Steel Snap Hooks, 3,600 lb rated gate strength, minimum breaking strength exceeds 5,000 lbs!
- Reusable Anchor that fits any wood or steel roof pitch.
- Reusable Plastic Storage/Carrying Bucket
- Meets OSHA 1926.502 - ANSI Z359.11 - ANSI A10.32 ANSI Z359.13 - ANSI Z359.18 - ANSI Z359.15



TRAFFIC CONES - HEAVY DUTY BASE

All vinyl construction assures flexible yet rugged durability. High visibility. (1/pk)

TRAFFIC-CONE 18 18"

TRAFFIC-CONE-28 28"





- V-Manifold Applicators
- Tank Spreaders
- Bead Applicators
- Better Spreaders
- Control Flow Frames
- Replacement Parts



ROOFTOP COATINGS SPREADERS

BETTER SPREADER® ADHESIVE ROLLERS



Available in 14" single wide or 27" double wide. Suspends 5-gallon can(s) of bonding adhesive directly over the roller allowing glue to be dispensed and evenly spread. These proven, clean-bonding adhesive dispensers eliminates the mess of hand rolling and spray rigs while saving time and money!

14" Single Wide w/Roller
SPREADER-BTRSNG.....1/ctn

27" Double Wide w/Roller
SPREADER-BTRDBL1/ctn

- Adhesive dispensed directly from can.
- No tank to try to clog or clean.
- No valves, cranks or messy overflow.
- Roller changes in seconds.
- Even & efficient spread of adhesive.
- No end of the day clean-up.
- Double production over paint rollers.

14" SINGLE WIDE TANK ROLLER

#SPREADER-TNKSNG 1/ctn

- 14" disposable roller included.
- Pre-drilled holes save waste.
- Durable polyethylene 5-gallon tank allows easy clean-up
- Small & maneuverable.
- Easily cleaned.
- Fill & go.



27" DOUBLE WIDE TANK ROLLER

SPREADER-TNKDBL ♦ 1/ctn

- 27" disposable roller included.
- 3 easy steps: Fill - Apply - Drain
- 8-gallon changeable polyethylene tank.
- Easy clean up.
- Fill & go.
- Good for low VOC adhesives or coatings.



♦ **SPECIAL ORDER**

SUPER WIDE TANK ROLLER

Accurately applies more than 300 sq. ft. per minute for any pourable material. 40" polyethylene tank allows fast application and easy clean-up.

40" disposable roller (1 included) make accurate coverage simple and FAST in 3 easy steps:

FILL - APPLY - DRAIN

- No waste! Preserves unused adhesive.
- Easily holds two buckets of material.
- Different size holes accommodate bonding adhesive, cold process, coatings.
- Durable polyethylene tank allows easy clean-up.



SPREADER-SUPER ♦.....1/ctn

♦ **SPECIAL ORDER**

REPLACEMENT ROLLERS

14" SINGLE WIDE replacement roller.
SPREADER-RLRSNG 9/ctn

27" DOUBLE WIDE replacement roller.
SPREADER-RLRDBL..... 9/ctn

40" SUPER WIDE Tank Roller
replacement roller.

SPREADER-SPRRLR..... 9/ctn



HAND ROLLER FRAMES WITH COVER

Hand roller frames offer a sturdy steel frame and through axle design to hold a large 4" diameter roller securely in place. Includes FLAT ROLLER. (2/ctn)

RF-TITAN-8 ♦..... 8"

RF-TITAN-16 ♦..... 16"

REPLACEMENT HAND ROLLER COVERS (9/ctn)

RC-TITAN-8 ♦ 8"

RC-TITAN-16 ♦ 16"



♦ **SPECIAL ORDER**

V-MANIFOLD FOR 2-PART ADHESIVES

The patented V-Manifold is constructed with simple, straightflow paths to allow for a free flowing stream of liquid components for 2-part adhesive applications. Clogged tips? Use the included 12" drill bit to quickly & easily restore flow.

- Stright flow path reduced clogging.
- Stright flow path allows for easy clean out.
- Production back up & running in seconds, not hours.
- Eliminates daily start up & shut down procedures.
- 12" drill bit provided.
- Economical.
- Saves downtime.



STANDARD V-MANIFOLD

Molded urethane body, anodized steel threads. Comfort fit handle & cuff, 12" x 1/4" drill bit for cleaning.

V-MANIFOLD..... 1/ctn



PREMIUM V-MANIFOLD

Anodized aluminum body and threads, two Zerk grease fittings. Comfort fit handle & cuff, 12" x 1/4" drill bit for cleaning.


V-MANIFOLD-PR 1/ctn



Also Available (as special order)....

PROFILE ROLLERS

Use template below to determine the profile needed.



CHALK REELS

100' HIGH-SPEED REWIND CHALK LINE REEL

BigMouth® chalk fill grommet for easy fill up and a sure, protected seal. Flush handle and patented wedge shape enables easy in and out of a tool pouch. 3X rewind with clutch release for fast line pay out and retrieval. Metal rewind arm with tough ABS housing. Holds up to 3 oz.

CHALK REEL 100 1/ctn

100' LITTLE GIANT CHALK LINE REEL

Braided, poly/cotton line with BigMouth® chalk fill grommet. Snaps bold lines on concrete, wood, asphalt and even dirt. Oversized grips and crank knob for easy handling. Holds up to 12 oz of chalk.

CHALK REEL G100.....100' 4/ctn

DOUBLE LITTLE GIANT

CHALK REEL G110.....110' 2/ctn

130' GIANT CHALK LINE REEL

Braided, poly/cotton line with BigMouth® chalk fill grommet. Snaps bold lines on concrete, wood, asphalt and even dirt. Oversized grips and crank knob for easy handling. Holds up to 24 oz of chalk.

CHALK REEL G130.....4/ctn

CHALK REFILL

- Ultra-fine standard grade chalk.
- Brilliant color.
- 4-5 strikes usual line yield.
- Great flow for easy fill-up.

	Size	Color	
CHALK 8R.....	8 oz	Red.....	12/ctn
CHALK 8B.....	8 oz	Blue.....	12/ctn
CHALK 8GO.....	8 oz	Orange.....	12/ctn

CHALK 105R.....	5 lb	Red.....	4/ctn
CHALK 105B.....	5 lb	Blue.....	4/ctn
CHALK 105Y.....	5 lb	Yellow.....	4/ctn
CHALK 105GO.....	5 lb	Orange.....	4/ctn

Chalk Line Saver - Formulated to generate superior brilliance for long-range visibility. Contains no fluorocarbons, making it non-toxic after drying. Top discharge valve for ease of use. 20 oz. Clear spray with inverted tip.

CHALK LINESAVER 12 cans/ctn

PROP 65 WARNING:
Cancer & Reproductive Harm
www.P65Warnings.ca.gov.

MARKING STICKS & LUMBER CRAYONS

Permanent, creamy, non-toxic waterproof marking sticks.

Markings dry after 5-7 minutes and will not fade or rub off. (12/ctn)

MARKING STICK R.....Red

MARKING STICK W.....White

Fade & weather-resistant lumber crayons.

Ideal for warmer climates and for marking on dry or wet wood, paper, cartons, stone, concrete, tiles and plastic. (12/ctn)

MARKING CRAYON R.....Red

MARKING CRAYON W.....White

MARKING CRAYON BBlue
MARKING CRAYON Y.....Yellow

MEASURING TAPES

25 ft locking, 1" wide tape measure, silver plastic case. The slide lock firmly locks in place for hands-free working. Has plated belt clip. Graduated 1/16ths, inches & feet. Also has millimeter, centimeter & decimeter measurement.

TAPE-MEAS 25..... 6/ctn

33 ft locking tape measure. Rubber-coated plastic housing with attached wrist strap & plated belt clip. Graduated 1/16ths, inches & feet. **Has easy to read 1/8", 1/4", 1/2" & 3/4" markings.**

TAPE-MEAS 33..... 5/ctn

25 ft tape measure with **AUTOMATIC LOCK**. Blade lock engages automatically & is easily retracted with the push of a button. Rubber grip housing prevents slips & the nylon coated blade limits glare. **Labeled 16" stud and 19.3" truss markings.**

TAPE-MEAS AUTO 6/ctn

25 ft locking tape measure. Chrome-plated housing with 'non-slip' rubber grip & attached metal belt clip. Blade is nylon-coated to limit glare. **Labeled 16" stud & 19.3" truss markings.**

TAPE-MEAS WIDE..... 6/ctn

- 1-3/16" WIDE BLADE
- Rubber grip.
- Nylon-coated, no-glare blade.
- 16-inch studs labeled.
- 19.3" truss labeled.

MEASURING WHEELS

36-inch circumference wheel (12.5" dia).

TAPE-WHEEL-40 1/ctn

- Heavy duty polycast wheel.
- Measures up to 9,999 ft.
- 3-piece pistol grip handle.
- Handle telescopes to 23".
- 5-digit, easy-read, magnified counter.
- Flip-down kickstand.

12" circumference indoor short-run wheel.

TAPE-WHEEL-12 1/ctn

- Handle telescopes from 17" up to 38" and weighs less than 2 lbs.
- Measures up to 9,999 ft.
- Easily fits into a toolbox or suitcase.
- 5-digit, easy-read, magnified counter.

36 inch circumference **PREMIUM** wheel (12" diameter).

TAPE-WHEEL-36 1/ctn

- Re-set on the handle & on the unit housing - no more bending over, lifting the wheel or stepping on it to reset to 0.
- Brake on pistol grip - stops counting instantly.
- Collapsing hinge - snaps into extended lock with the flick of the wrist & it disconnects if you forget to press the unlock trigger.
- Center-line handle design with counter on top of the wheel.
- Center of gravity aligned for perfect balance.
- Flip-down kickstand.
- Gear & shaft transmission for highest measurement accuracy and strength.
- Handle lock - lock your handle in place when you're not using the wheel.

Enhanced pistol-style grip

Compact & easily reduces to half its size for storage.

OPEN-TYPE MEASURING REELS

Designed for use in the harshest work conditions with proven field performance. Fiberglass blade with two coats of PVC, one to bind the strands and a second to cover the printed units. Tough molded plastic housing with shovel-style handle for easy grip and rapid reeling. (5/ctn)

TAPE-MEAS 100..... 100'

TAPE-MEAS 200..... 200'



ROPE

MANILA ROPE

Natural Fiber - Inexpensive. For general purpose use. Spliceable - holds knots well. Resists heat and sunlight. (1 coil/pk)

ROPE MA1/4X12001/4" x 1,200'
ROPE MAN3/8X6003/8" x 600'
ROPE MAN1/2X6001/2" x 600'
ROPE MAN3/4X6003/4" x 600'

*** SPECIAL ORDER**



3-STRAND MANILA ROPE COILETTES

ROPE MAN1/4X1001/4" x 100' 24/ctn
ROPE MAN3/8X503/8" x 50' 12/ctn
ROPE MAN1/2X1001/2" x 100' 4/ctn
ROPE MAN3/4X1003/4" x 100' 1/ctn

ROOFERS HOIST ROPES

3-strand manila rope with 9/16" forged snap hook. (1 coil/pk)

ROPESNAP 3/4X60 3/4" x 60'
ROPESNAP 3/4X100 3/4" x 100'
ROPESNAP 3/4X180 3/4" x 180'



Blue poly rope with 9/16" forged snap hook. (1 coil/pk)

ROPESN5/8X60BP *5/8" x 60'
ROPESN5/8X100BP *5/8" x 100'

*** SPECIAL ORDER**

POLY ROPE

100% premium grade monofilament twisted poly-propylene. Has more than twice the strength of manila rope. Has great resistance to most chemicals, oil, grease, acids, rot and mildew. Floats. Moderate elongation. (1 coil/pk)

ROPE P1/4X300 * 1/4" x 300'
ROPE P1/4X600 1/4" x 600'
ROPE P1/4X1200 1/4" x 1,200'

*** SPECIAL ORDER**



TRUCKERS ROPE

Meets California state trucking codes. All the qualities of polypropylene plus ultraviolet inhibitors. Good abrasion resistance and high strength make it excellent for tie-downs. Unaffected by water and able to float.

ROPE TR3/8X6003/8" x 600' 1 coil/pk
ROPE TR1/2X50 1/2" x 50' 12 coils/pk



3-STRAND TWISTED NYLON ROPE

Lasts as much as 10 times longer than manila rope & 5 times longer than polypropylene rope. This high strength resilient nylon rope has the ability to absorb sudden shock; as well as excellent flex and superb resistance to abrasion, chemicals, and marine organisms. Unaffected by mildew and rot, it can be stored when wet. (12 coil/pk)

ROPE NY-3/8X50 3/8" x 50'
ROPE NY-3/8X100 3/8" x 100'
ROPE NY-1/2X50 1/2" x 50'



SISAL ROPE

Natural Fiber - Inexpensive.

ROPE SIS1/4X50 * 1/4" x 50' 48/ctn
ROPE SIS1/4X100 1/4" x 100' 12/ctn

*** SPECIAL ORDER**



TWISTED MASON TWINE

A fine choice for mason line and other marking needs. Choosing twisted line is often an economical choice - 10% more line per spool over braided. 275' cardboard reel.

TWINE-TW-250-O * Orange 12/ctn

*** SPECIAL ORDER**



POLAR/SOLAR PLUS POWER CORDS

12 AWG, 15A/125V - 3 Conductor. SJEOOW "Tuf-Flex" insulated jacket that's highly resistant to abrasion, chemicals or oil. Molded water-resistant connectors with reinforced blades & lighted receptacle when power is on.

UL rated for -48° - 140° F.

EXT 100 LTPOL-3 4/ctn

- 12 Gauge
- Triple Tap
- UL Rated For -48° - 140° F
- Power Indicator Lighted



12 GAUGE POWER CORDS

12 AWG, 15A/125V - 3 Conductor. SJTW vinyl jacket that's abrasion, oil & moisture resistant. Molded water-resistant connectors, reinforced blades & lighted receptacle when power is on. UL rated for -20° - 140° F.

EXT 100 12/3LT 100' 4/ctn
EXT 50 12/3LT 50' 6/ctn

- 12 Gauge
- UL Rated For -20° - 140° F
- Power Indicator Lighted



14 GAUGE POWER CORDS

14 AWG, 13A/125V - 3 Conductor. SJTW vinyl jacket that's abrasion, oil & moisture resistant. Molded water-resistant connectors with reinforced blades. UL rated for -20° - 140° F.

EXT 100 14/3 3/ctn

- 14 Gauge
- UL Rated For -20° - 140° F



GFCI & TRIPLE TAP ADAPTER

2" IN-LINE 15A GFCI TRIPLE TAP

- 12 AWG, 15A/120V - 3 Conductor wire SJTW jacket that's abrasion, oil and moisture resistant.
- Molded water resistant connectors with reinforced blades.
- Lighted "Triple Tap" receptacle when power is on.
- Manual "Test/Reset" Buttons & Industrial Grade Relays
- UL rated for -20° - 140° F.

EXT LT-GFCI-IL 6/ctn




2" POLAR/SOLAR TRIPLE TAP ADAPTER

12 AWG, 15A/125V - 3 Conductor. SEOW thermoplastic elastomer jacket that's abrasion, oil and moisture-resistant. Molded water-resistant connectors with reinforced blades and lighted receptacle when power is on.

UL rated for -40° - 221° F.

EXT 3ADPT-LTPOLAR 12/ctn

- 12 Gauge
- Triple Tap
- UL Rated For -40° - 221° F
- Power Indicator Lighted



REPLACEMENT EXTENSION PLUG ENDS

15A/125V rated, NEMA 5-15, grounded, 3-prong. Durable vinyl housings. Accepts .025" to .655" diameter cords. (20/ctn)

EXT PLUG REPL-F Female

EXT PLUG REPL-M Male



PALLET COVERS

- 2.25-Mil Thickness
- UV PROTECTED
- Covers 4' high pallet.

Size Covers/RI

TAN COVERS (BUFF OPAQUE)

COVER 4X8-TAN 4' x 8' 25
COVER 4X4-TAN 4' x 4' 45

CLEAR COVERS

COVER 4X12-CLEAR 4' x 12' 25
COVER 4X8-CLEAR 4' x 8' 25
COVER 4X4-CLEAR 4' x 4' 45

BLACK COVERS

COVER 4X8-BLACK 4' x 4' 25
COVER 4X4-BLACK 4' x 4' 45

WHITE COVERS

COVER 4X8-WHI 4' x 8' 25
COVER 4X4-WHI 4' x 4' 45

Heavy duty 10-MIL white pallet covers.

COVER 4X8-WHI10 • ... 4' x 8' 6

BLUE TARP PALLET COVERS

Blue Tarp Pallet Covers. 8x8 weave polyethylene tarp material. Waterproof and mold proof. Finished size is 48" w x 60" l x 48" h.

TARP COVER 4X5X4 6/ctn

POLY SHEETING & PAINTER'S PLASTIC

Quality polyethylene sheeting that provides the optimum in economy and performance. Good weatherability, chemical inertness and toughness. (1 roll/ctn)

Cover Size Thickness

POLY 10X100-4C 10' x 100' 4 mil
POLY 20X100-4C 20' x 100' 4 mil
POLY 10X100-6C 10' x 100' 6 mil
POLY 20X100-6C 20' x 100' 6 mil

PAINTER'S PLASTIC

8'4" x 400' clear painter's plastic.
.001 mil thickness.

POLY-PAINT 108C 1 roll/ctn

BUTYL COATED DROP CLOTHS

9' x 12' butyl-coated drop cloth.

PAINT-DROPCLOTH • 6/ctn

- Absorbent
- Reusable
- Tough!

• SPECIAL ORDER

BLUE POLY TARPS

- 5-mil thickness.
- Rust-proof grommets every 3'.
- 3/16" bolt roping in hem.

Size Std Pk

TARP 8X10BLU 8' x 10' 20
TARP 100X100BLU 100' x 100' 1
TARP 10X10BLU 10' x 10' 15
TARP 10X12BLU 10' x 12' 15
TARP 10X16BLU 10' x 16' 10
TARP 10X20BLU 10' x 20' 8
TARP 12X16BLU 12' x 16' 8
TARP 12X20BLU 12' x 20' 7
TARP 12X25BLU 12' x 25' 5
TARP 16X20BLU 16' x 20' 8

Size Std Pk

TARP 20X20BLU 20' x 20' 6
TARP 20X30BLU 20' x 30' 4
TARP 20X40BLU 20' x 40' 2
TARP 30X40BLU 30' x 40' 1
TARP 30X50BLU 30' x 50' 1
TARP 40X40BLU 40' x 40' 1
TARP 40X60BLU 40' x 60' 1
TARP 50X50BLU 50' x 50' 1
TARP 50X100BLU 50' x 100' 1

THE GREAT DANE TOOL COMPANY

KNEE PADS

HEAVY-DUTY LEATHER KNEEPADS - Top grain cowhide leather outer shell that's been riveted for extra strength. 1/2" thick felt lining for comfort. Adjustable leather straps with steel buckles.

KNEE PAD-ONE 1 pair/pk

AIRFLOW™ GEL KNEEPADS - Layered gel, high density, closed-cell foam and neoprene padding for superior all-day comfort. Airflow side panel to help reduce heat build-up. Stabili-cap™ design for providing a solid kneeling base and easy movement. Elastic web straps with hook and loop closures ensure a perfect fit.

KNEE PAD-TWO 1 pair/pk


PROP 65 WARNING: CANCER & REPRODUCTIVE HARM www.P65Warnings.ca.gov.

Stephens Strapless Ultra Flex Zip Wrap Knee Pads

Give you the support and comfort as if you are wearing a knee brace and knee pads at the same time!

KNEE PAD-ZIP 1 pair/pk

- ✓ **EXPANSION ZIPPER**
Expansion Zipper for larger legs. "One size fits ALL"
- ✓ **ELIMINATE STRAP BURNS**
Fits comfortably around your leg and prevents strap burns, even on the bare legs.
- ✓ **ON/OFF ZIPPER**
This is the Main Zipper for easy Zip On and easy Zip Off.
- ✓ **FLEXIBLE**
Ultra flexible material that stays in place all day long!!!



3-PIECE RAIN SUIT & RAIN PONCHO

Yellow three-piece rainsuit includes a jacket, bib overalls, and hood. It is ideal for environmental clean-up, general construction, shipyards, and general maintenance. It's an excellent choice for short-term protection from environmental or weather-related conditions.

RAIN-SUIT-..... 10/ctn

When ordering, fill in * with: "L" (large), "XL" (extra-large) or "XXL" (extra-extra-large)

- Jacket, Bib Overalls and Hood.
- Detachable Hood Included.
- Fold Down Collar.
- Snap Front Closure.
- Lower Front Pockets with Flaps.
- Vented Cape Back.
- Snap Adjustments on Sleeve & Leg Cuffs.
- Double Heatwelded Seam Construction.
- Bib Style Overall with Fly Front.



1-PIECE PVC RAIN PONCHO (Not Shown)

Constructed of .10 mm single-ply yellow PVC fabric. Features an attached hood with drawstring & snap buttons at the sides.

RAIN-PONCHO • 50/ctn

- Attached Hood with Drawstring
- Snap Buttons at Sides
- Dimensions: 52-Inches x 80-Inches
- One Size Fits All

• SPECIAL ORDER

17" SLUSH BOOTS

Extra Wide, 17" high over-the-shoe slush boots.

BOOT-SLUSH-..... 6 pr/ctn

- High Visibility Yellow
- Heavy Cleated Sole
- Adjustable Strap W/Buckle On Top

When ordering, fill in * with boot size. Sizes 12-17 available! (Note: A shoe size of 12 would normally be a size 13 boot.)



LEATHER GLOVES

Standard grade double split cowhide leather palm. Gunn cut design, rubberized safety cuff, shirred elastic back and wing thumb. Size Large

GLOVE-2392 12 pr/pk (72 pr/mstr)

Split cowhide leather palm. Gunn cut design, rubberized safety cuff, shirred elastic back and wing thumb. Size Large

GLOVE-9466 12 pr/pk (72 pr/mstr)

Shoulder split leather palm. Gunn cut design, knuckle strap, striped canvas back, blue knit wrist and leather fingertips, index & thumb. Size Large

GLOVE-7140 12 pr/pk (72 pr/mstr)

100% pig leather. Gunn cut design, keystone thumb, shirred elastic back and unlined. Size Large

GLOVE-4052L 12 pr/pk (72 pr/mstr)



POLY/COTTON GLOVES

Latex Palm Glove. Polyester/Cotton blend. Premium blue latex on fingers and palms with crinkled grip. Knit wrist with hem. (12 pr/pk, 120 pr/mstr)

GLOVE-8426L.....Large

GLOVE-8426XL.....X-tra Large

Polyester/cotton blend, regular weight, reversible. Black PVC dots on back and palm. Knit wrist with hem. Size Large

GLOVE-5522 ... 12 pr/pk (240 pr/mstr)

Polyester/cotton blend, medium weight. Green latex palm dip with textured grip. Knit wrist with hem. Size Xtra-Large

GLOVE-8429 ... 12 pr/pk (120 pr/mstr)

Polyester/cotton blended jersey, regular weight. Clute cut design, knit wrist and straight thumb. Size Large

GLOVE-1845 ... 12 pr/pk (300 pr/mstr)



CUT-RESITANT GLOVES

Polyurethane Palm Glove.

HPPE (Olefin)/Nylon/Spandex shell for maximum strength. Breathable band knit wrist with color-coded hem. EN 388: 4343 (Cut Level 2) Compliant. (12 pair/pk, 240 pair/master)

GLOVE-3712GM Size M

GLOVE-3712GXL..... Size XL

GLOVE-3712GL Size L

GLOVE-3712GXL * .. Size XXL

*** SPECIAL ORDER**



VINYL, LATEX & NITRILE GLOVES

Seamless vinyl, general purpose, clear, disposable, lightly powdered. (100 gloves per carton, 10 ctn/cse)


GLOVE-1204DLSize Large

*** SPECIAL ORDER**

GLOVE-1204DX *Size X-tra Large

Seamless blue nitrile, 4-mil, industrial grade, disposable, lightly powdered. Size Xtra-Large (100 gloves per carton, 10 ctn/cse)

GLOVE-0001X



CHEMICAL RESISTANT GLOVES

Treated Black PVC Glove.

Interlock lined and smooth grip.

GLOVE-8700 12 pr/pk (72 pr/mstr)

14" Treated & Fully Coated

Black PVC Glove. Interlock lined and rough grip.

GLOVE-7714 12 pr/pk (72 pr/mstr)

14" Black PVC RIGHT HAND SINGLE GLOVE ONLY.

Otherwise, same as #7714. Specially stocked for roofers when the left hand glove is not necessary for applying solutions.

(24 each/bdl, 240 each/ctn)

GLOVE-7714RHO



COVERALLS

Constructed of tough, composite fabric that combines breathable microporous film and soft non-woven polyolefin. Provides an effective barrier against particulates, aerosols, and liquids while maintaining comfort. Designed for work environments where hazardous and non-hazardous liquid and dry particulate contaminants may be present. Features serged seams, a zipper and collar, a hood and boots, elastic waist, ankles, and wrists.

Certification/Rating:

- ANSI/ISEA 101 Compliant sizing
- ASTM 1670 Blood Penetration: Pass
- Anti-Static
- Safe for Food contact

#COVERALL- * 25/ctn

When ordering, fill in * with:

"L" (large), "XL" (extra-large) or "XXL" (extra-extra-large)

- DEFENDER II™ Microporous Lab Coat
- Serged Seams
- Zipper & Collar
- Elastic Waist, Ankles & Wrists
- Hood
- Boots
- Size M-5XL



BOOT COVERS ONLY (NON-CONDUCTIVE)

- Non-Skid Latex Coated Soles
- Elastic Closure
- Sizes: L-2XL



These disposable blue, standard weight, polypropylene shoe covers feature non-skid, latex-coated soles and elastic over the shoe closures.

COVERALL BOOTS 50 pair/bdl



COVERALL PANTS ONLY (NON-CONDUCTIVE)

COVERALL-PANTS *... 50 pair/bdl

*** SPECIAL ORDER**

RESPIRATORS

NIOSH Approved. APF 10 approved making it 95% effective against certain non oil-based particulate aerosols. Latex-free rubber straps, adjustable aluminum nose-piece and polyethylene foam nose pad.

These particulate respirators both meet NIOSH 42 CFR 84 N95 requirements. TC-84A-1299

RESPIRATOR NVNo Valve 20/ctn

RESPIRATOR VValved..... 10/ctn



HARD HAT - RATCHET STYLE

6-point adjustable nylon suspension, impact absorbing ridges & reinforced ribs. Strong, lightweight & durable. Accomodate accessories. Washable/reusable softbrow band. **Meets ANSI Z89.1 1997 Type 2 Class C, G & E**

HARD HAT RS-W..... White 20/ctn



TYPE 1 FUEL CANS & FUNNEL

Baked on powder coat finish with double interlock "no-weld" bottom seal. Spring closing lid with neoprene gasket vents at 5 PSI internal pressure. Non-sparking brass flame arrestor and pour spout. Meets OSHA 29 CFR 1910.106 and NFPA Code 30 requirements. (1/ctn)

ALL CANS
INCLUDE
9" FUNNEL
(GAS-FUNNEL)

GASOLINE

GAS-1 GAL..... 1-gal
GAS-2 GAL..... 2- gal
GAS-5 GAL..... 5-gal

DIESEL

DIESEL-5 GAL..... 5-gal

KEROSENE

KEROSENE-5 GAL..... 5-gal

SAFETY

SAFETY-1 GAL • 1-gal
SAFETY-2.5 GAL • 2-1/2-gal

* SPECIAL ORDER

TYPE 1 FUEL CAN FUNNEL

9" long funnel for type 1,
Eagle containers listed
above. (6/ctn)

GAS-FUNNEL

SAFETY GLASSES

One-piece, scratch-resistant, polycarbonate lens design with side shields for maximum safety. Fully adjustable temples with integrated nose piece. Great value! (12 pr/ctn)

SG-ECONOMY-CL..... Clear
SG-ECONOMY-SM Smoke

Scratch-resistant, dual wrap-around, polycarbonate lens. Telescoping & ratcheting temples with non-slip rubber nose piece. Customizable fit & excellent protection. (12 pr/ctn)

SG-RATCHET-CL..... Clear
SG-RATCHET-SM Smoke

Lightweight and constructed with impact-resistant lens. Their wrap-around design provides a snug fit for excellent orbital protection. (12 pr/ctn)

SG-OVAL-CL Clear
SG-OVAL-SM..... Smoke

GOGGLES

Clear vinyl goggles with indirect venting. Fogless polycarbonate lens to fit any work environment. Features include an elastic headband for firm fit and a clear frame for excellent front and peripheral vision. Complies with ANSI Z87.1-1989 standards.

GOGGLE 300..... 12/ctn



All of our
safety glasses
comply with
ANSI Z87.1-1989
standards.



SG-ECONOMY-CL



SG-ECONOMY-SM



SG-RATCHET-CL



SG-RATCHET-SM



SG-OVAL-CL



SG-OVAL-SM



ROOFERS PITCH HOOD

- Breathable dacron material protects workers from pitch fumes!
- Complete Face & Neck Coverage
- Lightweight!
- Washable!
- Will not stretch out!
- Use over and over again!

PITCH HOOD-NYLN.....25/pack



Eliminates skin
irritation and
pitch burns.

9-PLY PROTECTIVE BARRIER GEL

Protects the skin from irritation & pitch burns! A must for roofers!

It should also be applied each day just before work to make clean-up later a real breeze. No more digging embedded tar, grease, oil and dirt out of your skin. Try this gel for a couple of days and you will always use it every day on the job site.

PITCH GEL.....24 tubes/ctn

Contains: Water, glycerin, sodium carboxymethyl, cellulose gums, methylparaben.



AFTER-WORK SKIN CREAM

An 'after wash-up' cream to protect, soothe and refresh skin dried by environmental exposure and by harsh cleaners. Rub this cream into problem areas to ease the discomfort of rough or dry, chapped skin.

AFTER CREAM 24 tubes/ctn

Contains: Water, stearic acid, lanolin, camphor, mineral oil, glyceryl monostearate, triethanolamine, cetyl alcohol, menthol.



SPRAY SOCK

100% cotton, approximately 6" wide x 8" long. Curved bottom and top around the eyes and stitching along the face and bottom of the sock.

SPRAY SOCK FB..... 12/bag



WASP SPRAY

Long-range, fast-acting wasp & hornet killer with high dielectric strength (33,000 volts).

WASP SPRAY.....12 cans/ctn

- Kills wasps, hornets, yellow jackets & bees on contact!
- Jet Sprays Up To 20'
- Instant Knockdown



SAFETY VESTS

100% polyester mesh safety vest. Velcro front closures and elastic side straps. (1/pk)

SAFETY VESTORG Orange
SAFETY VESTLIM Lime



WEATHERPROOF FIRST AID KITS

Easy-to-use first aid kit is packaged in a practical weatherproof (gasketed) polypropylene case for durability and assists in complying with OSHA requirements. (1 kit/ctn)

FIRST AID-15..... 15-person kit
FIRST AID-25..... 25-person kit



- | | | |
|-----------------------|--------------------------|------------------------|
| 15 & 25-Person | • Forceps | • Cold Pack |
| • Adhesive Bandages | • First Aid Instructions | • Latex Exam Gloves |
| • Eye Pads | • Gauze Pads | |
| • Triangular Bandages | • Adhesive Tape | 25-Person Only |
| • Elastic Bandages | • Antiseptic Towelettes | • Large Wound Pad |
| • Scissors | • Aspirin | • First Aid/Burn Cream |

WET MOP HEADS

COTTON MOP HEADS

Made of the highest quality yarn in the industry, our wet mops will absorb 2-3 times their own weight. Full size 8-ply with 1.25" headband. (12/ctn)

MOP C16 16 oz MOP C24 24 oz
MOP C20 20 oz MOP C32 32 oz



#MOP C24

24 oz cotton Lay-flat Style

MOP C24-LF..... 12/ctn



#MOP C24-LF

RAYON MOP HEADS

32 oz Lay-Flat style rayon mop head, 4-ply. The Cut End Rayon Yarn provides a lint-free, non-streaking finish on most flooring surfaces. Perfect for floor wax applications or general mopping needs.

MOP R32-LF 12/ctn *SPECIAL ORDER



#MOP R32-LF

COTTON DECK MOP

32 oz. cotton deck mop with 1-1/8" diameter handle.

MOP DM32 6/bdl

*ADDITIONAL HANDLING CHARGE

#MOP DM32



WET MOP HANDLES

STATE-OF-THE-ART "Quick-Release" Metal Mop Handle. Just squeeze the 'quick-release' side lever and the old mop drops right out. **There is no quicker way to change a mop!** Good for mops from 12 oz to 26 oz. 15/16" dia. x 54" length.

HM-QC-4505 12/ctn



Plastic "Quick-Change" Mop Handle. Lighter than the metal version and will look the same after years of use. Changing out mops is a breeze. Simply swing out the release bar and make the swap! Holds any standard size mop. 15/16 dia. x 54" length.

HM-QC-4423 12/ctn



"Quick-Change" Vinyl-Coated Metal Mop Handle. Galvanized steel head with swing out bar and wing-nut adjustable clamp. Holds any standard size mop. 15/16" dia. x 54" length.

HM-QC-4544 12/ctn



Standard Vinyl-Coated Steel Mop Handle. Galvanized steel head with wing-nut adjustable clamp. Holds any standard size mop. 15/16" dia. x 54" length.

HM63..... 12/ctn



Layflat style mop handle. 1-1/8" x 60 hardwood, for screw-on mop heads.

MOP HDLE 60LF 12/ctn



MICROFIBER DUST MOPS

Microfiber mops consist of the standard back snap attachment to standard dust mop frames but replaces the old standard cotton or poly yarn with a microfiber yarn. It has excellent cleaning characteristics. Microfiber uses thousands of tiny 'fingers' to attract and hold water and/or dirt. It will clean most floors without chemicals. Light, launderable (200+ times), lint-free and, by its very construction, anti-microbial. Won't smell, has high chemical tolerance and will last a long time. No yarn dust mop will leave the floor cleaner. (12/ctn)

DM-MF-5X24..... 5" w x 24" l
DM-MF-5X36..... 5" w x 36" l



STANDARD COTTON DUST MOPS

Standard looped-end cotton dust mop with snaps. (12/ctn)

DM-CL-5X24 5" w x 24" l
DM-CL-5X36 5" w x 36" l



All lengths 12" - 72" as well as 3-1/4" & 5" widths available. Also available in colors (Green, Red, Blue or Orange).

Cut end mops also available as well as disposable mops in any size - JUST ASK!

DUST MOP FRAMES

5" wide x 24" long

DM-FRAME-5X24 12/ctn

5" wide x 36" long

DM-FRAME-5X36 12/ctn



All lengths 12" - 72" as well as widths of 3-1/4" & 5" available. We will stock what you need!

DUST MOP HANDLES

State of the art flexible dust mop connector. Made from a space-age material. Indestructible & allows easy turning of a dust mop when it hits an obstacle, then snaps right back into place! Best for mops 24" or less. 15/16" x 60" handle.

HDM-FLEX 12/ctn



Industry standard nylon slide dust mop connector. Clasps easily and quickly on to any standard dust mop frame. The white slide can be moved forward so the dust mop can't swivel or left in position to allow the frame to swivel. Fits all size frames. 15/16" x 60" handle.

HDM-CLAMP 12/ctn



ROOFING MOPS

HANK STYLE ROOFING MOPS

*SPECIAL ORDER

MOP RF-40-BD-HY 40 oz Blue 24/ctn
Denim Hank

PIN STYLE ROOFING MOPS

*SPECIAL ORDER

MOP RF-40-BD-PN 40 oz Blue Denim 24/ctn
MOP RF-48-BD-PN 48 oz Blue Denim 20/ctn
MOP RF-40-WC-PN 40 oz White 24/ctn
Cotton Singles

SCREW STYLE ROOFING MOPS

*SPECIAL ORDER

MOP RF-40-WC-SC 40 oz White 24/ctn
Cotton Singles



ROOFING MOP ACCESSORIES

ROOFING MOP SLEEVES

Steel sleeves for roofing mops. Use 4" staples show below. (12/ctn)

MOP RF-SLV-HANK Hank-Style
MOP RF-SLV-PIN Pin-Style
MOP RF-SLV-SCRW Screw-Style

*SPECIAL ORDER

ROOFING MOP STAPLES

4" staples for hank-style mops.

MOP RF-STAPLE-4 200/ctn

*SPECIAL ORDER

ROOFING MOP HANDLES

1-1/4" diameter aluminum roofing mop handles. 1-1/4" diameter x 72" length.

MOP HDLE 72AL 12/ctn



*ADDITIONAL HANDLING CHARGE
*SPECIAL ORDER

ORDERING INFORMATION:

- Orders received before 2:00pm CST are shipped same day for all existing inventory.
- The Brush Man does not have a minimum order requirement. Please note, certain non-stock items or specials may require a minimum order amount as part of special contract pricing.
- Most items must be ordered in standard package quantities or multiples thereof. We are able to break cartons on certain items – please contact our office for more information.
- The Brush Man will never charge restocking charges. Please pay the return freight and reference your PO# upon its return.

SHIPPING POLICY:

- Full freight is prepaid on individual orders having a net value of \$750 or more (unless other arrangements have been agreed upon), shipped to one destination within the continental United States via our carrier of choice. Customer requests to use (or not to use) certain carriers may result in the customer being charged the difference between our choice and yours. Should the delivery address require any special accommodations including but not limited to; prior delivery notification, delivery appointment, lift gate, straight truck, delivery area surcharge, jobsite delivery, etc., these charges will be billed to the customer.
- Special Order items will be shipped at customer expense.
- If your order arrived incomplete or damaged, this MUST be noted on the delivery receipt. If you are not given adequate time to count boxes or check for damages, sign the delivery receipt “PENDING INSPECTION” and contact The Brush Man immediately with any issues.

RETURNS / EXCHANGES POLICY:

It is the policy of The Brush Man to accept returns and exchanges if the item(s) are received by The Brush Man in re-sellable condition within 60 days of purchase, provided we have been contacted prior to return. Once the item(s) are received and inspected by The Brush Man a credit invoice will be issued, if necessary. Any requests for a return or exchange outside of 60 days will be handled on a case-by-case basis.



602 W. Hickory St.
Mahomet, IL 61853
Ph: 800-274-6898
Fx: 800-274-3369

www.brushman.com
sales@brushman.com



*We sell nationwide
through distributors.*

PRODUCT CATALOG

Volume MMXXIV

Have you seen our website?



- Secure Ordering
- Check Pricing
- Check Order History

Contact us for your private login information today!



**WHOLESALE FOR ROOFING, CONTRACTOR, INDUSTRIAL
& FLOORING SUPPLY DISTRIBUTORS SINCE 1976!**