
Catalog Supplement For RESINOUS FLOORING & CONCRETE FINISHING



MANUFACTURER & WHOLESALER FOR CONTRACTOR SUPPLIES SINCE 1976

Brush Man

EXCELLENT SERVICE & QUALITY PRODUCTS

SHED-RESISTANT ROLLER COVERS


Cat No.	Size	Nap	Std Pk
#RC9-1/4LF	9"	1/4"	36
#RC18-1/4LF	18"		24
#RC3-3/8LF	3"	3/8"	48
#RC4-3/8LF	4"		48
#RC9-3/8LF	9"		36
#RC18-3/8LF	18"		24
#RC4-1/2LF	4"	1/2"	48
#RC9-1/2LF	9"		36
#RC18-1/2LF	18"		24
#RC18-3/4LF	18"	3/4"	12



For flooring contractors or other various coating jobs requiring minimum linting!

- · Great for use with clear coatings!
- · QUALITY white fabric nap cover.
- · Solvent-Resistant Polv Core





- Water
- Solvents
- Cracking





Cat No.	Size	Nap	Std Pk
RC9-3/16-WSTR	9"	3/16"	12
RC18-3/16-WSTR	18"		6
RC4-3/8-WSTR	4"	3/8"	12
RC9-3/8-WSTR	9"		12
RC18-3/8-WSTR	18"		6
RC9-1/2-WSTR	9"	1/2"	12
RC18-1/2-WSTR	18"		6

Shed-resistant white fabric offers up to 12% better paint coverage than comparable roller fabrics.


Fine finish & controlled flow with all paints, especially








- White fabric with golden double pinstripe for smooth finish, great capacity.
- · Green, double-thick polypropylene core resists






Nap Std Pk

Out 110.	DILL	Timp	Dtu - 1
RC9-3/16PRODOOZ	9"	3/16"	12
RC18-3/16PRODOZ	18"		6
RC4-3/8PRODOOZ	4"	3/8"	12
RC9-3/8PRODOOZ	9"		12
RC18-3/8PRODOOZ	18"		6
RC9-1/2PRODOOZ	9"	1/2"	12
RC18-1/2PRODOOZ	18"		6

Cat No



water, solvents & cracking.

SHED-RESISTANT MINI COVERS *RCM *

Mini shed-resistant covers. 2 covers/pack with 24 packs per carton (48 covers/ctn).

Cat No.	Width	Nap	Std Pk
#RCM4-3/8LF	4"	3/8"	24 pks of 2
#RCM6-1/2-1/4LF	6-1/2"	1/4"	24 pks of 2
#RCM6-1/2-3/8LF		3/8"	24 pks of 2
#RCM6-1/2-1/2LF		1/2"	24 pks of 2




MOHAIR ROLLER COVERS

Shed-resistant mohair fabric. 1-1/2" diameter solventresistant poly core.

Cat No.	Size	Nap	Std Pk
#RC9-M	9"	1/4"	12








• Sned-resistant monair labric
for enamels, varnishes,
urethanes, epoxies, floor
toppings.
. Matuual maintima amalitiaa af

 Natural painting qualities of mohair blended with added resiliancy of polyester, minimizes directional fabric qualities.



· Polypropylene core resists water, solvents and cracking. 18" length has green™ double-thick polypropylene core.



DANE

TLOOPED ROLLER COVERS

Perfect for applying liquids with power equipment. 1-1/2" diameter synthetic core.

Std Pk

DANE

Cat No. Size Nap #RC9-LOOP 1/4 12 #RC18-LOOP 18"

 Durable, tan, plastic looped material applies paint and creates decorative effects in one step.

 Use with all texture paints; also for for applying coarse aggregate epoxy coatings.

 Polypropylene core resists water, solvents, & cracking.

 Loops help keep aggregate in suspension during application.

	WOOSTER
ecial	ly.
	ecial

Cat No.	Size	Nap	Std Pk
RC9-LOOP-TAN	9"	1/4"	12
RC18-EPOXYCOAT	18"		6

₹ EPOXY GLIDE™ ROLLER COVERS

- Proprietary, dark gray, shed-resistant fabric for all epoxies and urethanes.
- Great pickup, release and flow for fast results.
- Green™ double-thick polypropylene core resists water, solvents, and cracking (4" length has a clear, single-ply polypropylene core).




Cat No.	Size	Nap	Std Pk
RC4-EGLIDE	4"	1/4"	12
RC9-EGLIDE	9"		12
RC18-EGLIDE	18"		6
where	1	HE -	

WOOSTER

PHENOLIC CORE (NO NAP)

· For spreading and leveling mastics, anti-slip floor toppings, other heavy coatings.





CARPET NAP ROLLER COVERS

2-part epoxy on a phenolic core - holds the nap secure.

Cat No.	Size	Nap	Std Pk
#RC4-C	4"	1/4"	36
#RC9-C	9"		12
#RC18-C	18"		12



SPIKED ROLLER COVERS W/FRAME (SPECIAL ORDER)

Made from rigid plastic sharp spikes.

Removes trapped gas bubbles from floor coating applications.

Replacement spikes available.



Cat No.	Width	Spike Length	Std Pk
RC9-SPIKE 13/16	9"	13/16"	1
RC20SPIKE 13/16	20"	13/16"	1



PROFESSIONAL ROLLER FRAMES

Standard & heavy duty roller frames. Reinforced threaded handle hole in the grip.

Cat No.	Width	Stem	Cage	Std Pk
#RF9HD	9"	5/16"	5-wire	12
#RF9	9"	1/4"	4-wire	12
#RF4	4"	1/4"	4-wire	24
#RF3	3"	1/4"	4-wire	24





9" NON-SLIP heavy duty roller frame. Has special end cap that prevents 'walking' by the cover.

Cat No.	Size	Std Pk
RF-9-HD-NO-SLIP	9"	24



Extra heavy duty roller frame. 5/16" thick extra long shank, 5-wire cage. Heavy duty nylon end

caps. Reinforced threaded handle hole in the grip.


Cat No.	Size	Std Pk
#RF-4-PREMIUM	4"	24
#RF-9-PREMIUIM	9"	12



MINI ROLLER FRAMES (For use with *RCM* covers.)

Mini frames for use with *RCM* series shed-resistant mini roller covers.

Cat No.	Handle Length		Std Pk
RFM4-16	16"	4"	12
RFM6-1/2-12 *	12"	6-1/2"	12
RFM6-1/2-24	24"		12



₹ 18" PROFESSIONAL ROLLER FRAMES

18" lightweight but durable roller frame, no cage. 2 plastic end caps included.

Cat No.	Size	Std Pk
RF18LW	18"	12
Replacement End RF18LW-END C		48



18" lightweight poly roller frame with adjustable ends. Molded black poly frame with threaded handle hole. 2 plastic end caps included.



Cat No.	Size	Std Pk
RF18LW-SP	18"	12
Replacement End		24

18" professional roller frame. Metal frame adjusts from 12" to 18". Ergonomic handle also has threaded handle hole for use with extension handles. 2 plastic end caps included.

Cat No.	Size	Std Pk
RF18PRO	12-18"	6
Replacement E	nd Caps:	24



18" steel-reinforced frame, 5-wire cage - won't spread out and lose the cover. Any size/type of handle can be used on the job site, no threads or drilled holes in handles needed.

#RF18

Cat No.	Size	Std Pk
BE18HD	18"	3

othreads or #RF18HD

SHERLOCK® FRAMES

- Quick-release retaining spring prevents roller slippage, yet allows easy, one-rap removal.
- Smooth-rolling bearings eliminate shank wear and gray streaks.
- Durable, green™ fiberglass-reinforced nylon cage and endcaps.
- Chrome-plated 5/16" shank, 90° angle.
- Full-size polypropylene grip with reinforced threads.

WOOSTER	A.

Cat No.	Size	Std Pk
RF4-SHERLOCK	4"	6
RF9-SHERLOCK	9"	6

₹ MAGIKAGE® NINETY FRAME

- Sturdy 5-wire cage, nylon endcaps.
- Chrome-plated 5/16" shank, 90° angle.
- Full-size polypropylene grip with reinforced threads.

Cat No.	Size	Std Pk
RF9-MAGIK 90	9"	12



₹ BIG BEN® FRAME


- For 18" roller covers, 1-1/2" standard or 2-1/4" jumbo diameter.
- Lightweight yet strong polypropylene construction.
- Quickly install or remove the roller cover - no hardware to adjust, no tools required.
- · Reinforced threads.


Plastic en	d caps	J
included.	woo	STER

Cat No.	Size	Std Pk
RF18-BIG BEN	18"	10
Replacement End	40	
RF18 BEN ENDC	AP	48

SHERLOCK® WIDE BOY™ FRAME

 Adjusts to hold roller covers 12" to 18" long with 1-1/2" standard or 2 1/4" jumbo diameter.





· Reinforced threads.



Cat No.	Size	Std Pk
RF18-WIDE BOY	18"	3
Replacement End C		48

ROLLER GAUGES

- Unique polypropylene endcaps control the mil thickness being applied, replacing the squeegee process.
- Use with floor coatings, epoxies, urethanes, anti-skid floor toppings, vapor barriers, & metallic finishes.
- Recommended for use with 3/16" nap.
- Each gauge is color-coded for quick selection.



Cat No.	Thickness	Color	Std Pk
RF-GAUGE-YELLOW	Thin Film (Approx 4 mil)	Yellow	6 packs of 6
RF-GAUGE-RED	Medium Film (Approx 12 mil)	Red	6 packs of 6
RF-GAUGE-BLUE	Thick Film (Approx 22 mil)	Blue	6 packs of 6
RF-GAUGE-RED	1/4" Thick Gauge	Black	100
RF-GAUGE-BLUE	1/2" Thick Gauge	Grey	100



WHITE CHINA BRISTLE CHIP BRUSHES

White china bristle with sanded wood handle.



Cat No.	Width	Thickness	Trim	Std Pk
PB1	1"	5/16"	1-1/2"	36/ctn (864/master)
PB2	2"	5/16"	1-1/2"	24/ctn (432/master)
PB3	3"	3/8"	1-1/2"	24/ctn (432/master)
PB4	4"	3/8"	1-3/4"	12/ctn (240/master)
PB4HD	4"	11/16"	2"	12/ctn (144/master)



SOLVENT-PROOF CHIP™ BRUSHES



- White China bristle, square trim.
- Tin-plated steel ferrule.
- Clear plastic flat handle resists water and solvents; 4" size has beavertail handle.

Cat No.	Width	Thickness	Trim	Std Pk
PB1-SOLVPRF	1"	5/16"	1-11/16"	36
PB2-SOLVPRF	2"	5/16"	1-11/16"	24
PB3-SOLVPRF	3"	5/16"	1-11/16"	24
PB4-SOLVPRF	4"	5/16"	1-15/16"	6



POLYESTER PAINT BRUSHES

- · Deluxe, made in USA quality out-paints the imports.
- · Gold polyester, chisel trim, for all latex or oil paints.
- · Brass-plated steel ferrule.
- · Black solid plastic handle.

THE			
TATO	00	TE	ъ.
WO	UO	I E	ж.
	400 000		

Cat No.	Length	Thickness	Trim	Std Pk
PBP3972	2"	9/16"	2-7/16"	24
PBP3973	3"	11/16"	2-11/16"	12
PBP3974	4"	7/8"	3-7/16"	12



₹#1 GRADE LACQUERED HARDWOOD HANDLES

Cat No.	Dimentions	Tip Style	Std Pk
H60MT	15/16" x 60"	Metal Threaded	12
H72MT	15/16" x 72"		12
HD60T	1-1/8" x 60"	Tapered	12



HANDLE BRACE

Steel handle brace. Oversize wood screws inlouded.

Cat No.	Std Pk
HB-M106	12



₹FIBERGLASS HANDLE - SHOCK-RESISTANT

1" x 60" fiberglass handle w/polymeric shock-absorbing threaded tip.


H60FG





EXTENSION HANDLES

FRAMELOCK Technology. Anodized aluminum/fiberglass extension pole.



Comfort foam handle.

 Nylon locking tabs engineered for years of service.




Size


Std Pk

H48AG-EVTP (Sp Order) 4' - 8' H612AG-EVTP 6' - 12'

Sherlock® **Extension Poles**

· Hexagonal aluminum





Universal threaded tip works with all popular tools.

Cat No.	Size	Std Pk
H48-SHERLOCK	4' - 8'	6
H612-SHERLOCK	6' - 12'	3
SHERLOCK-MNTK	IT	1

Sherlock® Mtce Kit Parts for Spring, tip or Lever Replacement (1 threaded tip, 2 screws,

1 lever, 1 pin and 3 springs).

FINE FLOOR SWEEPS

Gray flagged (split tips) synthetic fill, 3" trim. Bristles

GREAT

won't lav over.



Cat No.	Size	Std Pk
FB918	18"	12
FB924	24"	12
FB930	30"	12
FB936	36"	12

COUNTER BRUSHES

Std Pk 8" sanded wood Cat No. block, silver **CB82** 12 flagged synthetic fill, 2-1/2"trim, for fine debris.

8" synthetic block, Cat No. Std Pk 100% horsehair fill, $_{CB90}$ 12 2-1/2" trim, for fine debris.



DUST PAN

Black steel dust pan, 12" wide. Industrial-Contractor use.



Cat No.	Std Pk
DUST PAN	12


RAGS - 10lb Machine Compressed Cartons




RECLAIMED WHITE FLANNEL RAGS Very best for absorption.


RAG-FLANNEL-WH 10 lbs/ctn













RECLAIMED COLORED SWEATSHIRT RAGS

RAG-CLRSWEAT-10 10 lbs/ctn





RECLAIMED GRAY SWEATSHIRT RAGS Does not bleed!

RAG-GRYSWEAT-10 10 lbs/ctn





WOOSTER

? PAINT TRAYS

Economical, 9" metal throw-away tray. Disposable plastic liner fits inside, sold separately.


Cat No.	Size	Std Pk
PAINT TRAY 9M	9" Metal Tray	24
ΒΑΙΝΉ ΤΡΑΥ ΔΙ.ΝΈ	Q" Diactic Lines	144





Deluxe 11" Metal Paint Tray & Disposable Liner

- · Rust-resistant bright finish steel.
- Sturdy, ribbed roll-off area for even loading Durable, welded legs keep the tray level.

Liner is form-fitting and resists cracking.








Wide Boy™ Bucket WOOSTER

- Built-in 19" wide roll-off area for highproduction jobs.
- No-tip design and heavy-duty 5/16" galvanized bail with comfort grip for moving when filled.
- Durable, seamless, green™ polypropylene resists solvents and paint buildup.
- 14"Lx24"Wx10"D







MAHOMET, IL 61853

PH: 800-274-6898

FX: 800-274-3369

BRUSHMAN.COM

MULTI-MIX CONTAINERS

Cat No.	Size	Std Pk
PAIL-10 QT W/HDL	10 Qt - With Metal Handle	12
PAIL-5 QT	5 Qt - With Plastic Handle	25
PAIL-5 QT W/HDL	10 Qt - With Metal Handle	24
PAIL-2-1/2 QT	2-1/2 Qt - <i>No Handle</i>	100
PAIL-1 QT	1 Qt - <u>No Handle</u>	100

1 quart reusable multi-mix container. Traditional measurements and mixing ratios.

Cat No.	Size	Std Pk
PAIL-1 QT-MIX	1 Qt	100
	No Handle	•



PLASTIC BUCKETS

Cat No.	Lid Type	Std Pk
PAIL-5 GAL-W	5 gallon	144/skid
PAIL-2 GAL	2 gallon	400/skid
PAIL-LID 5	5 Gal Lid Without Spout	48/ctn
PAIL-LID 5-SP	5 Gal Lid <u>WITH</u> Spout	48/ctn

5 gallon pail with graduated markings in both liters & gallons on the side of

the container. Padded handle grip.

Cat No.	Std Pk
PAIL-5 GAL-W-GR	20





MIXERS

#MIXER-PAINT-1

1-gallon HD spiral mixer, 16" OAL. Fits all drills 3/8" & larger. 6/ctn

#MIXER-PAINT

24" long paint mixer, 3-3/4" blade, hex shaft. Fits all drills 3/8" & larger. 6/ctn

#MIXER-MUD

28" long mixer, 8-1/2" x 4-1/2" blade. hex shaft. Fits any 3/8"+ speed drill.. 5/ctn



TRASH BAGS


Bucket O'Bags - Tough Bags In A Reusable Bucket.

Cat No.	Std	Pk
TORCUDAC DISCUET		- 1

· High Quality Resin - Hexene Mix · 3-Mil, 42-Gallon

· 2-Gal Reusable Bucket

40 bags/bucket



Cat No. Ba	gs/Ctn
TRASH BAG 42-20PI	20
TRASH BAG 42-50PI	50



DUCT TAPE - CONTRACTOR GRADE

2" x 60 yd rolls. Higher cloth thread count than standard economy rolls for greater strength.

Cat No.	Color	Rolls/Ctn
TAPE-DUCT GREY	GREY	24
TAPE-DUCT9MIL-R	RIND	24



BLUE PAINTER'S MASKING TAPE

Interior/exterior use. Moisture & UV

resistant. 2" x 60 yards. Cat No. Rolls/Ctn Clean removal up to TAPE-MASK BM2 14 days.



😯 GENERAL PURPOSE MASKING TAPE

2" x 60 yd rolls. General purpose tape offering both economy and versatility. Rated service

temperature of 32° to 160° F.

Cat No. Rolls/Ctn TAPE-MASK 2



CHALK REELS & REFILLS

5 lb

100' high-speed rewind chalk line reel. Holds up to 3 oz. of chalk.

Cat No.	Std Pk
CHALK REEL	100 1

Cat No.

#CHALK 8R

#CHALK 8B

#CHALK 105R

#CHALK 105B



12/ctn

12/ctn

4/ctn

4/ctn



Other Colors Available

FLOOR SQUEEGEES

Steel-back floor squeegee with a 1/4" x 2" black Buna Blend rubber blade. Steel handle socket that won't crack or let go of the handle

Blue

or let go or the handle.		
Cat No.	Width	Std Pk
FS318	18"	6
FS324	24"	6
		_



Smooth Edge Non-Marking Gray Rubber Squeegees Steel-back floor squeegee with 1/4" X 2" stiff, gray EPDM rubber blade. Non-marking.

Steel handle socket.

Cat No.	Width	Std Pk
FS318G	18"	6
FS324G	24"	6
FS336G	36"	6



Non-marking gray double sponge floor squeegee in a steel channel with steel handle socket.

Cat No.	Width	Std Pk
FS318-SPONGE	18"	4
FS324-SPONGE	24"	4
FS336-SPONGE	36"	4




24" straight coatings squeegee. Steel handle socket, stiff black rubber blade. Notches are 1/4" wide x 3/16" deep.

Cat No.	Width	Std Pk
FS24SF-CONTINGS	24"	6



Steel-back floor squeegee. Stiff, gray EPDM non-marking 1/4" x 2" serrated rubber blade. Steel handle socket.

Cat No.	Squeegee	Notch	Std
	Width	Size	Pk
FS18SE-1/8	18"	1/8"	6
FS18SE-3/16	3	3/16"	6
FS18SE-1/4		1/4"	6
FS18SE-3/8		3/16"	6
FS24SE-1/8	24"	1/8"	6
FS24SE-3/16	3	3/16"	6
FS24SE-1/4		1/4"	6
FS24SE-3/8		3/16"	6
FS36SE-3/16	36"	3/16"	6







Replacement blades available for most squeegees listed. Contact us for pricing and availability.

WINDOW SQUEEGEES

U-shaped galvanized steel channel riveted to a plated steel handle. Non-marking red rubber clinched in the frame. Non-replaceable blade.

Cat No.	Width	Std Pk
WSQ18	18"	12







UTILITY KNIVES & BLADES

Ergonomic handle with side rubber grips. Drop-down cradle. **Ouick-release button makes** changing blades fast & easy!



Retractable blade

Cat No. Std Pk knife. KNIFE-RETR-STD 12

Retractable blade knife.

Cat No. Std Pk KNIFE-DOLPHIN

Fixed blade utility knife.

Std Pk Cat No. KNIFE-FIXED-STD 12





Type 92 HD utility blades, .025 thick. BLADE-UTIL 100 100 blades/carton

(5 blades/pk, 20 pk/ctn)



Standard deep hook blade, .025 thick. BLADE-DEEP HOOK 100 blades/carton (5 blades/pk, 20 pk/ctn)

#KNIFE-PUTTY-3B



HEAVY DUTY Deep Hook Blade, .025 thick.

BLADE-DEEP-HKHD 100 blades/carton (5 blades/pk, 20 pk/ctn)

#KNIFE-PUTTY-3

PUTTY KNIVES

3" BLADE SCRAPERS - THREADED HANDLE INSERT

- · High carbon steel blade.
- Contoured handle for sure grip.
- · Plastic with threaded handle end accepts acme threaded broom handles.

Blade Type	Std Pk
3" <u>BENT</u> Scraper	5
3" Straight Scrape	r 5
	3" <u>BENT</u> Scraper



- Polished steel blade.
- · Brass plated hammering end for setting protruding nails.
- Ergonomic comfort grip handles enhance both control and comfort.

Std Pk Cat No. KNIFE-PUTTY-6

₹ 5-IN-1 SCRAPER TOOL

- **Half-Round Cutout Removes** Paint From Roller
- **Sharp Point Opens Cracks** For Patching
- Sharp Blade Scraper
- Putty Remover
- Spreader



FLOOR SCRAPERS & BLADES

4"Wall & Floor Scraper

- Equipped with replaceable 4" blade
- · Two screws lock the razor sharp blade in the die cast head
- · Comfortable no slip 4" rubber grip on all sizes
- · Overall length: 7"

8" Extendable Scraper

- · 8" replaceable razor sharp edge.
- Overall length: 20" to 28"
- · Handle adjusts & locks with a twist.
- Not recommended for heavy duty prying floor removal.

Heavy duty flooring scraper blades, .036" thick

Cat No.	Size	Blades /Pk
BLADE-SCRAPER-4	4"	10
BLADE-SCRAPER-8	8"	50



₹ TROWELS

16 gauge stainless steel blade, 6" x 4" or 6" x 6". DuraSoft® handle that reduces fatigue.

Cat No.	Size	Radus	Lip	Std Pk
FROWEL-COVE-4	6" x 4"	3/4"	1-1/2"	1
FROWEL-COVE-6	6" x 6"			1

Steel Concrete Finishing Trowels With Wood Handle

- Carbon steel blade · Projection riveted
- · Long shank Wood handle

Cat No.	Size	Std Pk
TROWEL-CEM-4X14	4" x 14"	12
TROWEL-CEM-4X16	4" x 16"	12

Margin Trowel - High Carbon Steel Cat No. Size Std Pk

TROWEL-MAR-5

₹ VERSABLADE® TROWEL SYSTEM



covered. To removeblade, simply tap trowel on opposite end. Handles and blades sold separately.

Cat No.	Rib Size	Std Pk
VERSA-HDL-BLACK	Small	12
VERSA-HDL-RED	Large	12
VERSA-HDL-OPEN	Small	12

VERSABLADE® NOTCH BLADES


Cat No.	Blade Notches Sto	l Pk
VERSA-BLADE-ACT	ACT - Sheet Vinyl Flrg	12
VERSA-BLADE-AVF	ACF - Vinyl Comp Flrg	12
VERSA-BLADE-BHF	BHF - Hardwood Plank	12
VERSA-BLADE-CTB	CTB - Ceramic Tile	12
VERSA-BLADE-FFA	FFA - Vinyl Comp Flrq	12
VERSA-BLADE-RCA	RCA - Glued Carpet Direc	t 12
VERSA-BLADE-WHA	WHA - Vinyl Comp Flrq	12

Other Blades Available


ਟੂ INJECTA NOTCH TROWEL SYSTEM (SPECIAL ORDER)

Injecta Notch Trowel Handles - With economical & easily replaced trowel blades, this system is available in a variety of 'California Handle' styles, each on a cast aluminum mounting as below. Top quality sanded hardwood handle or the Ultigrip molded rubber cushion handle. All trowels have the RCA notch on a 10° angled leading edge, are 4-3/8" wide with blade installed. Blades sold separately.

Cat No.	Length	Handle Type	Hand Side	Std Pk
INJ-HDL-WD	-RH11 11"	Wood	Right	12
INJ-HDL-WD	-LH11		Left	12
INJ-HDL-RD	-RH11 11"	Ultigrip	Right	12
INT-HDL-RD	-T.H11		Left	12



BLADE STYLES



INJECTA NOTCH BLADES			
Cat No.	Blade Notches	Std Pk	
INJ-BLADE-ACT	ACT - Sheet Vinyl Flrg	12	
INJ-BLADE-BHF	BHF - Hardwood Plank	12	
INJ-BLADE-CTB	CTB - Ceramic Tile	12	
INJ-BLADE-FFA	FFA - Vinyl Composite Flrg	12	
INJ-BLADE-RCA	RCA - Glued Carpet Direc	t 12	

Other Blades Available





MAHOMET, IL 61853

CAULKING GUNS

10 oz metal frame gun, 5:1 thrust ratio. Smooth rod & thumb release. Good quality and economically priced.

Cat No. Std Pk CAULK 10-3-HB

29 oz metal frame gun, 18:1 thrust ratio. Revolving barrel, thumb release, ladder hook & seal puncture tool.

Cat No. Std Pk **CAULK 32-18-HB**



Nozzles for use on 4" cove base.

Cat No.	# of Beads	Std Pk
CAU COVE11	11	1
CAU COVE3	3	1



THAMMER TACKER & STAPLES

Ouick-Loading

 Balanced Design Uses 5/16" - 9/16" staples.

Cat No. Std Pk HAMMER-TACKER

3/8" All Divergent Point Staples

Cat No Std Pk

STAPLE-3/8 1 ctn (5,000 staples)



EXNEE PADS

HEAVY-DUTY LEATHER KNEEPADS from CLC®

Top grain riveted cowhide leather outer shell. 1/2" felt lining. Adjustable leather straps/steel buckles.

Cat No. KNEE PAD-ONE

AIRFLOW™ GEL KNEEPADS from CLC® Layered gel, high denisty, closed-cell foam

& neoprene padding. Airflow side panel. Stabili-cap™ design. Elastic Cat No. Std Pk web straps KNEE PAD-TWO 1 pr

w/hook & loop closures.



SEAM ROLLERS

75 lb polished steel roller, 16" wide. Detachable pivoting legs with wheels to transport roller to and from the job site. Steel handle also detachable. Segmented rollers provide even pressure on uneven surfaces. Axles are inset to prevent any scuffing on the sides.



Single fork steel radius roller. 2" wide x 2" dia. Enclosed bearings, 5" wood handle.

<u>Double fork</u> steel roller. 2" wide x 2" dia. Slightly rounded edges. Enclosed bearings, 5" wood handle.

Cat No.	Item St	td Pk
SEAM-16S75	75 lb steel roller	1
SEAM-2RADS	Single fork steel radius roller	r 5
SEAM-2S	Double fork steel roller	5



SPIKED SHOES

Durable black polypropylene shoes. 13 replaceable 3/4" steel spikes and adjustable straps. One size fits all.

Cat No.		Std Pk
SHOE-3/4	Spike Shoes	1 pr
SHOE-3/4-REPL	3/4" Replacement	1 set
	Spikes (13 spikes/set)



TAPE MEASURES

25 ft locking, 1" wide tape measure. Silver plastic case. The slide lock firmly locks in place for hands-free working. Has plated belt clip. Graduated 1/16ths, inches & feet. Also has millimeter,

Cat No. centimeter & decimeter measurement. TAPE-MEAS 25

25 ft locking tape measure. Chrome-plated housing with 'non-slip' rubber grip and attached metal belt clip. 1-3/16" blade is nylon-coated to limit glare.

Cat No. TAPE-MEAS WIDE



₹ 15" UTILITY WRECKING BAR

Cat No. Std Pk WRECKING 15-I



SANDING DISCS & SCREENS

Sanding Discs

Cat No.	Width	Grit	Std Pk
DISC-SAND17-36G	17"	36	20
DISC-SAND17-80G	;	80	20

Sanding Screens

Cat No.	Width	Grit	Std Pk
DISC-SCRN17-80	17"	80	10
DISC-SCRN17-100	١	100	10


Other Sizes & Grits Available





FLOOR MACHINE ACCESSORIES (SPECIAL ORDER)

Cat No.	Description	Std Pk
DISC-CLUTCH PLT	Plastic Universa Clutch Plate	ıl 1
DISC-DUST 1617	16-17" Universa Dust Shroud	1 1



Cat No.	Description	Std Pk
DISC-DRIVE 16	15" Drive Disc	1

16 Tungsten Carbide spin Disc - Double-s		
Width	Grit	Std Pk
16"	10	1
	14	1
	Width 16"	Width Grit

15" Roto Pro Disc - Fits Most Standard 17" Floor Machines

- · Fits most standard 17" floor machines
- Equipped with 6 replaceable carbide blades
- Includes universal plastic clutch plate

Cat No.	Description	Std Pk
DISC-ROTOPRO15	15" Roto Pro Disc	1
DISC-ROTO-BLADE	Replacement Blades	1 Set (6)













Catalog Supplement For RESINOUS FLOORING & CONCRETE FINISHING

602 W. Hickory Street
Mahomet, IL 61853
www.brushman.com
orders@brushman.com

phone: 800-274-6898

fax: 800-274-3369