



700 Rubber Seal Roof Cleaner Material Safety Data Sheet

NDA means No Data Available.

Identity (As Used on Label and List) No.700 Rubber Seal Roof Cleaner		Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.			
Section I					
Manufacturer's Name Address (Number, Street, City, State, and Zip Code) DeWitt Products Company 5860 Plumer Ave. Detroit, Michigan 48209		Telephone Number for Information 313-554-0575 Telephone Number for Information 800-962-8599 Date Prepared January 2012			
Section II - Hazardous Ingredients/Identity Information					
Hazardous Components (Specific Chemical Identity; Common Name(s))		CAS#	OSHA PEL	ACGIH TLV	%Wt.
Alcohol Ethoxylate		68439-46-3			
Degree Of Hazard:		Health	0	Flammability	0
Scale:		4 = Extreme	3 = High	2 = Moderate	1 = Slight
		0 = Insignificant	Reactivity	0	Special Hazard
					0
Section III - Physical/Chemical Characteristics					
Boiling Point 214° F		Specific Gravity (H₂O = 1) 1.00			
pH: 7.0-8.0		Melting Point NDA			
Viscosity <100 cps@25°C		Evaporation Rate (Butyl Acetate = 1) NDA			
Appearance and Odor Light or blue colored liquid, characteristic odor.					
Section IV - Fire and Explosion Hazard Data					
Flash Point (Method Used) 350°F		Flammable Limits		LEL NDA	UEL NDA
Extinguishing Media Water fog, foam, dry chemical powder, or carbon dioxide					
Special Fire Fighting Procedures Firefighters should wear full protective clothing including self-contained breathing apparatus.					

Unusual Fire and Explosion Hazards			
None known.			
Section V - Reactivity Data			
Stability	Unstable Stable	X	Conditions to Avoid None known
Incompatibility (Materials to Avoid) Avoid contact with strong oxidizing agents.			
Hazardous Decomposition Irritating and/or toxic fumes and gases may be emitted upon the products decomposition. Upon decomposition, this product emits carbon monoxide, carbon dioxide, and/or low molecular weight hydrocarbons.			
Hazardous Polymerization	May Occur May Not Occur	X	Conditions to Avoid None Known.
Section VI - Health Hazard Data			
Route(s) of Entry	Inhalation X	Skin X	Ingestion X
Health Hazards (Acute and Chronic) Acute: Skin and eye irritant. Chronic: None known based on OSHA criteria.			
Carcinogenic: No	NTP NDA	IARC Monographs NDA	OSHA Regulated NDA
Signs and Symptoms of Exposure Eyes: Irritation Skin: Irritation Inhalation: NDA Ingestion: NDA			
Medical Conditions Aggravated by Exposure Skin and eye irritation.			
Emergency and First Aid Procedures Eyes: Flush with plenty of water for 15 min. Skin: Flush with plenty of water for 15 min. Take off contaminated clothing. Wash clothing separately before reuse. Inhalation: Remove source of contamination or move victim to fresh air. Ingestion: Seek immediate medical attention. Do not induce vomiting unless told to do so by physician.			
Seek medical help on all above problems.			
Section VII - Precautions for Safe Handling and Use			
Steps to be Taken in Case Material is Released or Spilled Isolate spill or leak area immediately. Keep unauthorized personnel away. Stop leak if you can do so without risk. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.			
Waste Disposal Method Dispose in accordance with all applicable regulations. All waste must be handled in accordance with local, state and federal regulations.			
Precautions to be Taken in Handling and Storing Avoid contact with skin and eyes. Use good personal hygiene practices. Wash thoroughly after using with soap and water. Keep container tightly closed and in a cool, well-ventilated place.			
Other Precautions Use with adequate ventilation. Avoid prolonged breathing of vapors. Avoid prolonged skin contact. Do not swallow any material.			

Section VIII - Control Measures

Respiratory Protection (Specify Type)

Not necessary unless exposure limits are exceeded, then use a NIOSH/MSNA approved respirator.

Ventilation Local Exhaust Provide adequate local exhaust ventilation

Special NDA

**Mechanical
(General)**

NDA

Other Normal room ventilation.

Protective Gloves

Use rubber or neoprene gloves.

Eye Protection

Wear chemical goggles. Use a face shield if splashing is possible.

Other Protective Clothing or Equipment

Wear suitable protective clothing.

Work/Hygienic Practices

Eye wash fountain and emergency showers are recommended.

Section IX – Transportation Information

DOT Hazard Class

Not regulated.

DOT Proper Shipping Name:

Not regulated.